

WATER-TESTING PRODUCTS PRICE LIST – 2012

(PRICES EFFECTIVE JANUARY 1, 2012)

TABLE OF CONTENTS

SECTION 1: ORDERING/SHIPPING INFORMATION.....	PAGE 2
CONTACTING TAYLOR	PAGE 2
DOMESTIC SALES.....	PAGE 2
INTERNATIONAL SALES	PAGE 2
SECTION 2: NUMERIC LISTINGS OF PRODUCTS.....	PAGE 3
If you are familiar with our product numbering and just want to find a price, use this section.	
TEST KITS.....	PAGE 3
REAGENTS	PAGE 5
REPLACEMENT PARTS	PAGE 10
SECTION 3: ALPHABETICAL LISTINGS OF PRODUCTS.....	PAGE 13
If you want to find a product but aren't familiar with our offerings, this section details our kits, reagents, and replacement parts by type and usage.	
SINGLE-ANALYTE TEST KITS	PAGE 13
MARKET-SPECIFIC TEST KITS	PAGE 18
ELECTRONIC TEST KITS	PAGE 20
MISCELLANEOUS KITS	PAGE 21
BURET TITRATION REAGENT PACKS	PAGE 21
ACCESSORIES	PAGE 21
ALPHANUMERIC REAGENT CROSS-REFERENCE	PAGE 22
REPLACEMENT PARTS	PAGE 24

Our Quality Management System
is certified to ISO 9001:2008



the most trusted name in water testing

SECTION 1: ORDERING/SHIPPING INFORMATION

CONTACTING TAYLOR

Address all correspondence to:

Customer Service Department
TAYLOR TECHNOLOGIES, INC.
31 Loveton Circle
Sparks, MD 21152-9206
USA

Customer service representatives are available to assist you personally from 8:00 a.m. to 5:00 p.m. (Eastern Time), Monday through Friday. In the US, you can call us toll-free at **800-TEST KIT (837-8548)**. You may also record a message for us outside normal business hours by using this toll-free number or leave an e-mail message using customerservice@taylortechnologies.com.

You may fax your inquiry anytime to **410-771-4291**. In addition, you can reach all departments during normal business hours (8:00 a.m. to 4:45 p.m. Eastern Time) by calling 410-472-4340.

To contact any department through our website, go to www.taylortechnologies.com.

DOMESTIC SALES

Inquiries and Orders

If you already have an account with Taylor, please have your account number ready when calling customer service to place an order. Knowing the part number (or product description), size, and quantity desired will help speed this transaction. Customer service representatives are trained to repeat all phone orders to assure correct information before giving your confirmation order number. To prevent duplicate shipments, please do not send written confirmation for phone orders.

If you have not established open terms with us, we accept VISA®, MasterCard®, Discover®, American Express®, C.O.D., and check-in-advance orders. Ask for a Credit Application and Account Profile Questionnaire to establish an open billing account. (You may also download these forms from our website, www.taylortechnologies.com, or complete them online.)

Upon request, a Material Safety Data Sheet (MSDS) will be included for all chemical products in an order. MSDSs for Taylor reagents also may be printed from our website. Faxed information will be provided in emergencies.

• terms of sale

All sales are F.O.B. Sparks, Maryland. Payment of invoices is net 30 days for customers with open billing accounts. Prices in this Price List are shown in US dollars and are subject to change without notice.

A handling charge—maximum \$7.50 at this printing—is added to factory-direct phone/fax/e-mail orders totaling less than \$25 list price.

Note: Pricing for the upcoming year is posted on our website in December.

• shipping

We maintain an extensive inventory to expedite shipments, so that many domestic orders are shipped within two business days and most will have shipped by five days from placement. Some reagents are made to order and may require additional turnaround time. Please discuss time-sensitive orders with your customer service representative. In emergencies, we may be able to alter our production schedule to accommodate a rush order. All rush orders are assessed a \$25 special-handling charge.

Taylor will determine the fastest and most economical means of shipping an order—within prevailing shipping regulations—unless a carrier is specified. Most orders are shipped via United Parcel Service (UPS) ground service. UPS imposes restrictions and special charges for transporting hazardous materials. And, since shipping regulations prevent packing most hazardous materials together, the order may require several cartons. Special packaging to meet transportation standards may also increase the shipping charge. “Dangerous goods” airfreight packaging charges will apply if the order is requested to be sent via Federal Express. Ask your customer service representative to explain the shipping charges.

Note: Taylor cannot assume responsibility for freezing conditions. It is the purchaser's responsibility to request “protect from freezing” insurance with a motor-freight carrier. A minimum fee of \$100 in addition to actual shipping charges will apply.

• return policy

Please check your order upon receipt since exchanges or credits are only considered within 30 days of shipment. If there is any problem, please contact customer service. You can assist us by referring to the Taylor order number on your packing slip. If return of merchandise is necessary, your representative will advise you about shipping regulations and generate the appropriate authorizations.

Taylor will issue a Return Authorization (RA) number to the buyer and forward a shipping label with instructions for returning the merchandise. Items must be returned within 30 days. Questions about repacking the order should be directed to Taylor's traffic manager at 410-472-4340.

Returns without proper documentation will be refused. Customer service will advise if a 20% restocking charge applies to the return.

If any part of the order has been damaged by the carrier during the shipping process, retain the original carton and packing materials and immediately contact the carrier for an inspection. (As a courtesy, we can do this for you when the carrier is UPS.) If needed, Taylor will assist you by placing a new order while your claim is being processed.

Note: Unless reagents were shipped in error by Taylor or compromised before shipping, they **cannot** be returned for credit. You will need to know the lot number, located on the bottom right-hand corner of the label, to apply for a credit.

INTERNATIONAL SALES

Canadian Inquiries

Lowry & Associates of Newmarket, Ontario, is the master distributor for all Taylor products sold in Canada. Call **905-836-0505** (fax **905-895-4539**) for assistance.

Other International Inquiries and Orders

Special considerations are made to speed your shipment to its destination if you fit into any one of these categories: you are making a purchase for delivery outside the US or Canada; you do not have an account with a US bank; or you wish to have your purchase packed for subsequent export by you.

For service by an International Sales representative, call our headquarters in Maryland at **410-472-4340**. To avoid time zone complications, many of our customers prefer to fax their inquiry to **410-771-4291**. You may also send an e-mail message to customerservice@taylortechnologies.com.

If you have an account with Taylor, tell us your account number when contacting us. Knowing the answers to these questions also will help expedite your transaction:

- ✓ part number (or product description), size, and quantity of each item?
- ✓ mode of transportation preferred—ocean or air?
- ✓ street address for delivery?
- ✓ nearest airport to destination?
- ✓ special carton markings needed?
- ✓ method of payment?

Please send confirming orders, clearly marked as such, by mail or fax **to the attention of International Sales**.

Material Safety Data Sheets (MSDSs) will be included for all chemical products in an order. You may also obtain this information on our website, www.taylortechnologies.com. Go to “Documents” in the “Product Info” drop-down.

• terms of sale

Prices in this Price List are shown in US dollars and are subject to change without notice. All sales are F.O.B. Sparks, Maryland. Payment may be made by wire transfer; by charging your purchase to VISA®, MasterCard®, Discover®, or American Express®, with a check-in-advance drawn on a US bank, payable in US funds; or with an irrevocable letter of credit if your order exceeds US \$500 and previous arrangements for this have been made with our Accounting Department.

• shipping

Orders packed for export require a special review of shipping and handling issues. Allow five business days for this process. We will then fax or e-mail you a quotation specifying cost of merchandise, estimated shipping charges, and Taylor's export handling fee. This quotation is good for 60 days or until the end of the calendar year, whichever is less. Upon receipt of your confirmation and payment, most orders are shipped in three to five business days.

We maintain an extensive inventory to expedite shipments; however, some reagents are made to order and may require additional turnaround time. If your order is time-sensitive,

make certain to discuss this with the customer service representative who assists you.

• return policy

It is essential to check the order immediately upon arrival. If there is a problem, contact your International Sales customer service representative to arrange an appropriate solution.

SECTION 2: NUMERIC LISTINGS OF PRODUCTS

NUMERIC LISTING OF ALL TEST KITS

KIT NO.	KIT DESCRIPTION	PRICE	KIT NO.	KIT DESCRIPTION	PRICE
K-0401	Titration Pack, Buret w/ 1 stopcock buret	\$ 215.20	K-1109	Midget Comparator, Orthophosphate (high range), Stannous Chloride, 10-100 ppm	\$ 113.00
K-0403	Titration Pack, Buret w/ 2 stopcock burets	312.50	K-1110	Midget Comparator, Orthophosphate (low range), Stannous Chloride, 0-10 ppm	108.00
K-0430	Reagent Pack, Buret, Alkalinity (P/M & P/T), Phenolphthalein/ Methyl Orange/Blended Indicator, 1 mL = 1 mg CaCO ₃	21.25	K-1128	Slide Comparator, Nitrate, Zinc Reduction, 0-10 ppm	174.00 †
K-0431	Reagent Pack, Buret, Alkalinity (P/M & P/T), Phenolphthalein/ Methyl Orange/Blended Indicator, 1 mL = 5 mg CaCO ₃	22.35	K-1141	Slide Comparator, Chlorine (total), OT, 0.2-12 ppm	111.95
K-0432	Reagent Pack, Buret, Hardness (calcium/magnesium/total), EDTA, 1 mL = 1 mg CaCO ₃	30.80	K-1151	Slide Comparator, Chlorine (total), OT, 5-250 ppm	128.00
K-0433	Reagent Pack, Buret, Chloride, Argentometric, 1 mL = 1 mg Cl ⁻	30.24	K-1153	Slide Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	122.50
K-0434	Reagent Pack, Buret, Chloride, Argentometric, 1 mL = 0.5 mg Cl ⁻	30.05	K-1154	Slide Comparator, Iron (total), Phenanthroline, 0-10 ppm	162.00
K-0435	Reagent Pack, Buret, Chloride, Argentometric, 1 mL = 1 mg NaCl	29.75	K-1155	Slide Comparator, Copper, Cuprizone, 0-3.0 ppm	116.00
K-0436	Reagent Pack, Buret, Sulfite, Iodometric, 1 mL = 1 mg Na ₂ SO ₃	21.10	K-1186	Midget Comparator, Glutaraldehyde, Modified MBTH, 0-50 ppm	162.00 *
K-0437	Reagent Pack, Buret, Sulfite, Iodometric, 1 mL = 1 mg SO ₃ ²⁻	20.70	K-1190	Color Card Comparator, Polymer, Turbidimetric, 0-10 ppm	181.00
K-0438	Reagent Pack, Buret, Sulfite, Iodometric, 1 mL = 0.5 mg SO ₃ ²⁻	20.70	K-1201	Slide Comparator, Chlorine (total), OT, 0-1.0 ppm	112.00
K-0439	Reagent Pack, Buret, Sulfite, Iodometric, 1 mL = 0.5 mg Na ₂ SO ₃	21.05	K-1203	Slide Comparator, Chlorine (total), OT, 0.1-4.0 ppm	112.00
K-0440	Reagent Pack, Buret, Nitrite, Permanganate, 1 mL = 3.45 mg NaNO ₂	32.35	K-1205	Slide Comparator, Chlorine (total), OT, 0.2-3.0 ppm	112.00
K-0444	Reagent Pack, Buret, Phosphonate, Thorium Nitrate/Xylenol Orange, 1 mL = 6 ppm ATMP	89.10	K-1231	Midget Comparator, Chlorine (total), OT, 0-1.0 ppm	50.25
K-0445	Reagent Pack, Buret, Chlorine (free/combined), FAS-DPD, 1 mL = 0.1 mg Cl ₂	76.49	K-1234	Midget Comparator, Chlorine (free/total), DPD (tablet), 0.2-3.0 ppm	58.05
K-1011-H	Slide Comparator, pH, Bromthymol Blue, 6.0-7.6	125.00	K-1239RC	Midget Comparator, Iron (total), Phenanthroline, 0-10 ppm	104.40
K-1011-J	Slide Comparator, pH, Phenol Red, 6.8-8.4	125.00	K-1239SC	Midget Comparator, Iron (ferric/ferrous/total), Phenanthroline, 0-10 ppm	103.75
K-1011-K	Slide Comparator, pH, Cresol Red, 7.2-8.8	125.00	K-1241	Slide Comparator, Bromine (total), DPD, 0-3.0 ppm	108.00
K-1011-L	Slide Comparator, pH, Meta Cresol Purple, 7.6-9.2	125.00	K-1242	Slide Comparator, Bromine (total), DPD, 2.0-10 ppm	108.00
K-1011-M	Slide Comparator, pH, Thymol Blue, 8.0-9.6	125.00	K-1243	Slide Comparator, Octadecylamine, Bromphenol Blue/Chloroform Extraction, 0-6 ppm	170.00 *
K-1011-O	Slide Comparator, pH, Toly Red, 10.0-11.6	125.00	K-1256	Slide Comparator, Chlorine (total), OT, 0-50 ppm	130.00
K-1011-U	Slide Comparator, pH, Long Range, 3.0-11.0	125.00	K-1259-1	Slide Comparator, Chlorine (free/total), DPD, 0-3.0 ppm	114.00
K-1100	Slide Comparator (no case), Orthophosphate (high range), Stannous Chloride, 5-100 ppm	150.25	K-1259-2	Slide Comparator, Chlorine (free/total), DPD, 0-1.0 ppm	113.56
K-1100C	Slide Comparator (w/ case), Orthophosphate (high range), Stannous Chloride, 5-100 ppm	247.00	K-1264	Commercial (uses Midget comparators), Copper 0.2-3.0 ppm/Iron 0-2.0 ppm	97.60
K-1105	Slide Comparator (no case), Orthophosphate (low range), Stannous Chloride, 0-25 ppm	149.00	K-1267	Midget Comparator, Iodine/Iodate, Leuco Crystal Violet, 0-2.0 ppm	81.30 *
K-1105C	Slide Comparator (w/ case), Orthophosphate (low range), Stannous Chloride, 0-25 ppm	236.30	K-1272	Slide Comparator, Silica, Heteropoly Blue, 0-50 ppm	162.00 *
K-1108	Slide Comparator (no case), Polyphosphate (low range), Acid Hydrolysis/ Stannous Chloride, 0-25 ppm	255.60 *	K-1273	Midget Comparator, Silica, Heteropoly Blue, 5-50 ppm (up to 500 ppm if diluted)	105.00 *
			K-1285-1	Midget Comparator, pH, Long Range, 3.0-10.0	62.55
			K-1285-2	Midget Comparator, pH, Phenol Red, 6.8-8.2	62.55
			K-1285-4	Midget Comparator, pH, Bromthymol Blue, 6.0-7.4	62.55
			K-1285-5	Midget Comparator, pH, Chlorphenol Red, 5.2-6.6	62.55
			K-1285-6	Midget Comparator, pH, Cresol Red, 7.2-8.6	62.55
			K-1285-7	Midget Comparator, pH, Thymol Blue, 8.2-9.6	62.55
			K-1289	Slide Comparator, Chlorine (free/total), DPD, 1.0-10 ppm	112.65

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

† No UPS and requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL TEST KITS (continued)

KIT NO.	KIT DESCRIPTION	PRICE	KIT NO.	KIT DESCRIPTION	PRICE
K-1293	Midget Comparator, Bromine (total), OT, 0.2-3.0 ppm	\$ 51.60	K-1577	Drop Test, Salinity, Argentometric, 1 drop = 1 or 2 ppt	\$ 62.11
K-1297	Midget Comparator, Chlorine (total), OT, 0-2.0 ppm	49.50	K-1579	Drop Test, Chlorine (bleach), Iodometric, 1 drop = 10 or 100 ppm; 0.05 or 0.5%	86.50
K-1401	Midget Comparator, Chlorine (total), OT, 5-250 ppm	74.35	K-1580	Drop Test, Chlorine (total), Iodometric, 1 drop = 1 or 10 ppm	86.40
K-1443	Drop Test, Hydrogen Peroxide (undiluted strength), Iodometric, 1 drop = 0.5 or 1%	91.75	K-1582	Drop Test, QAC, Direct Neutralization, 1 drop = 10 or 25 ppm/Polyquat, 1 drop = 3.5 or 9 ppm	100.85
K-1502	Drop Test, Chlorine Dioxide, FAS-DPD, 1 drop = 0.2 ppm	73.70	K-1583	Drop Test, Phosphonate, Thorium Nitrate/Xylenol Orange (uses pH test paper 1.8-3.8), 1 drop = 1 ppm ATMP	89.50
K-1503	Drop Test, Hardness (total), EDTA, 1 drop = 2 or 10 ppm	45.95	K-1584	Drop Test, Phosphonate, Thorium Nitrate/Chrome Azurol S (uses pH test paper 2.5-4.5), 1 drop = 0.8 ppm PBTC	118.50
K-1504	Drop Test, Hardness (total: trace), EDTA, 1 drop = 0.5 ppm	54.90	K-1588	Drop Test, Dissolved Oxygen, Winkler-azide Modification, 1 drop = 1.0 ppm	120.00 *
K-1506	Drop Test, Chloride, Argentometric (for neutral pH waters), 1 drop = 10, 25, 50, 100, or 500 ppm	52.05	K-1592	Color Card Comparator, pH, Long Range, 3-11	21.95
K-1510	Drop Test, Nitrite, CAN, 1 drop = 40 ppm	68.15	K-1593	Drop Test, Iodine, Iodometric (PAO), 1 drop = 5 ppm	64.40 *
K-1511	Drop Test, Zinc, Complexometric, 1 drop = 0.5 ppm	77.85	K-1594	Drop Test, Hardness (calcium/magnesium/total), EDTA, 1 drop = 10 ppm	59.60
K-1512	Drop Test, Alkalinity, Phenolphthalein/Blended Indicator (for laundry), 1 drop = 10 or 50 ppm	49.85	K-1598	Drop Test, Chloride, Mercuric Nitrate, 1 drop = 2 or 10 ppm	66.70 *
K-1514	Drop Test, Hardness (calcium/total), EDTA, 1 drop = 2 or 10 ppm	54.85	K-1599	Drop Test, Sequestrant, Thorium Nitrate/Xylenol Orange, 1 drop = 1 or 10 ppm	100.70
K-1515-C	Drop Test, Chlorine (free/combined), FAS-DPD, 1 drop = 0.2 or 0.5 ppm, 2 oz	68.70	K-1615	Laundry, Alkalinity/Chlorine (bleach), OT/Hardness/pH	156.20
K-1516	Drop Test, Chlorine (free/combined), FAS-DPD (crystals), 1 drop = 0.2 or 0.5 ppm	72.24	K-1616	Laundry, Alkalinity/Chlorine (bleach), OT/Hardness/Iron/pH	207.00
K-1517-C	Drop Test, Bromine (total), FAS-DPD, 1 drop = 0.5 or 1.25 ppm, 2 oz	60.50	K-1640	Boiler/Cooling Systems, Alkalinity/Chloride (high pH waters)/Hardness/Sulfite	112.00
K-1519	Drop Test, Water Softener, Visual Determination	24.80	K-1645	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Orthophosphate/pH/ Sulfite	172.65
K-1527	Drop Test, Alkalinity (P/T), Blended Indicator, 1 drop = 10 ppm	34.80	K-1645-1	Boiler/Cooling Systems, Alkalinity/Hardness/Orthophosphate/Sulfite	151.65
K-1528	Drop Test, Alkalinity (caustic), Phenolphthalein, 1 drop = 0.2 g or 100 mL NaOH; 0.2g or 100mL Na ₂ CO ₃	62.30	K-1645-2	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness	87.45
K-1529	Drop Test, Sulfite, Iodometric, 1 drop = 2 or 10 ppm Na ₂ CO ₃	44.70	K-1645-3	Boiler/Cooling Systems, Alkalinity/Hardness/Sulfite	87.30
K-1530	Drop Test, Alkalinity (total), Blended Indicator (using H ₂ SO ₄), 1 drop = 10 ppm	31.85	K-1645-4	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Orthophosphate	144.00
K-1531	Drop Test, Alkalinity (caustic soda), Phenolphthalein, 1 drop = 0.1 or 1% NaOH	53.25	K-1645-5	Boiler/Cooling Systems, Alkalinity/Chloride/Orthophosphate/Sulfite	142.65
K-1533PM	Drop Test, Alkalinity (P/M), Phenolphthalein/Methyl Orange (using H ₂ SO ₄), 1 drop = 10 or 50 ppm	44.55	K-1645-6	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Sulfite	96.00
K-1533PT	Drop Test, Alkalinity (P/T), Phenolphthalein/Blended Indicator (using H ₂ SO ₄), 1 drop = 10 or 50 ppm	44.45	K-1646	Boiler/Cooling Systems, Molybdenum/Nitrite/pH	139.00 *
K-1537	Drop Test, Alkalinity (hydroxyl), Phenolphthalein, 1 drop = 10 or 50 ppm	62.35	K-1650	Boiler/Cooling Systems, Alkalinity/Chloride/Orthophosphate/Sulfite	165.40
K-1539	Drop Test, Nitrite, Permanganate (using H ₂ SO ₄), 1 drop = 100 ppm	49.55	K-1658	Drop Test, Dissolved Oxygen, Winkler-azide Modification, 1 drop = 0.2 ppm	160.60 *
K-1540	Freezing Point Determination (for glycol and brine solutions)	190.10	K-1664	Drop Test, Total Dissolved Solids, Acid-Base Titration, 1 drop = 50 ppm	73.10
K-1541	Drop Test, Boron, Proprietary, 1 drop = 0.2 or 0.5 ppm	175.35	K-1670	Color Card Comparator, pH, Long Range, 5.0-9.0	23.10
K-1542	Drop Test Combo, Alkalinity/Hardness	72.90	K-1680	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Nitrite/Phosphonate/ Sulfite	199.75
K-1543	Drop Test, Chloride, Argentometric (for high pH waters), 1 drop = 2 ppm	57.05	K-1682	Drop Test, Neutralizing Amines, Acid-Base Titration, 1 drop = 4, 5, or 6 ppm	68.35
K-1544	Drop Test, Chelant, Complexometric, 1 drop = 2 or 5 ppm EDTA	93.40	K-1690	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Molybdenum/Nitrite/ Phosphonate/Silica	436.00 *
K-1546	Drop Test, Peracetic Acid, Iodometric, 0-1000 ppm	104.00	K-1692	Cooling Systems, Alkalinity/Chloride/Hardness/Nitrite/Phosphonate/Polymer	371.80
K-1547	Drop Test, Acidity (muriatic/hydrochloric), Neutralization, 1 drop = 0.5 g or 100 mL	59.25	K-1693	Boiler Systems, Alkalinity/Chloride/Hardness/Polymer/Sulfite	301.50
K-1548	Drop Test, Acidity (sulfuric acid), Neutralization, 1 drop = 0.02-1.0 g or 100 mL H ₂ SO ₄	60.35	K-1716	Midget Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	63.00
K-1549	Drop Test, Chloride, Argentometric (for high pH waters), 1 drop = 10, 25, 50, 100, or 500 ppm	59.05	K-1730	Color Card Comparator, Copper, Thiocarbamate, 0.05-1.0 ppm	23.60
K-1549S	Drop Test, Chloride, Argentometric (for high pH waters), 1 drop = 10 ppm	53.00	K-1738	Midget Comparator, Copper, Cuprizone, 0.2-3.0 ppm	59.25
K-1554	Drop Test, Chelant, Complexometric, 1 drop = 2 ppm EDTA	74.00	K-1767	Drop Test, Chloride, Argentometric, 1 drop = 20, 40, 100, 200, or 800 ppm NaCl	56.60
K-1563	Drop Test, Nitrite, Permanganate (using acid sulfate), 1 drop = 100 ppm	39.95	K-1768	Midget Comparator, Chlorine (free/total), DPD, 0.2-3.0 ppm	55.50
K-1564	Drop Test, Nitrite, Permanganate, 1 drop = 25 ppm	56.15	K-1768-2	Midget Comparator, Chlorine (free/total), DPD, 1.5-10 ppm	54.55
K-1565	Drop Test, Nitrite, Permanganate, 1 drop = 50 ppm	40.80	K-1773	Midget Comparator, Bromine (total), DPD, 0.2-3.0 ppm	53.25
K-1567	Drop Test, Hardness (calcium), EDTA, 1 drop = 10 ppm	48.20	K-1775	Drop Test, Chelant, Complexometric, 1 drop = 5 ppm NTA	89.95
K-1568	Drop Test, Iodine, Iodometric (Thiosulfate), 1 drop = 5 ppm	71.45	K-1805	Drop Test, Molybdenum, Complexometric, 1 drop = 2, 5, 20, or 50 ppm	76.40 *
K-1575	Drop Test, Alkalinity (P/M & P/T), Phenolphthalein/Methyl Orange/Blended Indicator (using HCl), 1 drop = 10 or 50 ppm	64.20	K-1805P	Drop Test, Molybdenum, Complexometric (powder), 1 drop = 2, 5, 20, or 50 ppm	86.55 *
			K-1818	Slide Comparator, Ozone, DPD, 0-2.0 ppm	117.00

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL TEST KITS (continued)

KIT NO.	KIT DESCRIPTION	PRICE	KIT NO.	KIT DESCRIPTION	PRICE
K-1819	Boiler/Cooling Systems, Alkalinity/Chloride/Sulfite	\$ 88.95	K-3221	Slide Comparator (Long Viewpath), Manganese, Periodate Oxidation, 0-3.0 ppm	\$ 395.00
K-1822	Slide Comparator, Ozone, DPD, 0-0.66 ppm	120.45	K-3232	Slide Comparator (Long Viewpath), pH (condensate), Bromthymol Blue/Meta Cresol Purple, 6.0-9.2	178.00
K-1825	Drop Test, Hydrogen Peroxide, Iodometric, 1 drop = 5 ppm, 2 oz	71.35	K-6510	Meter, pH/Temperature, Myron L TechPro II™ TH1	710.00
K-1826	Drop Test, Hydrogen Peroxide, Iodometric, 1 drop = 5 ppm, .75 oz	24.50	K-6520	Meter, Conductivity/TDS/Temperature, Myron L TechPro II™ TP1	1,023.00
K-1831	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 30/60 ppm	79.35	K-6530	Meter, Conductivity/pH/TDS/Temperature, Myron L TechPro II™ TPH1	1,416.00
K-1832	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20/40 ppm	79.45	K-6540	Meter, TDS, Myron L 512T5	525.00
K-1833	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20/60 ppm	79.50	K-6542	Meter, Sodium Chloride/TDS, Myron L PoolMeter™ 512T5D	545.45
K-1837	2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 2/8 ppm	79.50	K-6545	Meter, Conductivity, Myron L 512M5	507.00
K-1860	Visual Determination, Aerobic Bacteria, Nutrient-Supported Growth, Sani-Check™, 25/box	105.80 NET	K-6560	Meter, Conductivity, Myron L EP-10	675.00
K-1860-RP	Reagent Pack, Aerobic Bacteria, Nutrient-Supported Growth (for K-1860)	85.30 NET	K-6570	Meter, Conductivity/ORP/pH/Sodium Chloride/TDS/Temperature, Myron L POOLPRO™ PS6si	1,471.00
K-1861	Visual Determination, Aerobic Bacteria/Fungi/Yeasts, Nutrient-Supported Growth, Easicult®, 10/box	97.45	K-9017	Laundry (spot tests), Chlorine, OT/Iron/pH	58.80
K-1862	Visual Determination, Aerobic Bacteria, Nutrient-Supported Growth, Easicult®, 10/box	87.35	K-9022	Drop Test, Chlorine (total), Iodometric, 1 drop = 1 ppm	80.70
K-1865	Visual Determination, Anaerobic Bacteria, Nutrient-Supported Growth, Sani-Check™, 25/box	95.50	K-9047	Midget Comparator, Chlorine (free/total), DPD, 0.1-2.0 ppm	52.60
K-3209	Slide Comparator (Long Viewpath), Chlorine (total), OT, 0-1.0 ppm	179.00	K-9065	Drop Test, QAC, Direct Neutralization, 1 drop = 1.25 ppm/Polyquat, 1 drop = 0.5 ppm	79.60
K-3220	Slide Comparator (Long Viewpath), Iron (total), Thiocyanate, 0-3.0 ppm	246.00	K-9105	Boiler/Cooling Systems, Alkalinity/Chloride/Copper/Hardness/Iron/Molybdate/Nitrite/Orthophosphate/Phosphonate/Silica/Sulfite	1,529.00 *
			K-9348	Case, Titration w/ stopcock burets, 20" w x 10" d x 23" h, plastic & metal, black	913.00 NET
			K-9780	Cabinet, Titration (wall-mount), 30" w x 10" d x 20" h, steel	799.00
			K-9780-GP	Glassware Pack (for wall-mount titration cabinet)	645.00

NUMERIC LISTING OF ALL REAGENTS

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0001-A	DPD Reagent #1, .75 oz, Dropper Bottle	\$ 3.75	R-0011P-I	Calcium Indicator Powder, 10 g	\$ 5.65	R-0602P-I	Stannous Chloride Powder, 10 g	\$ 5.80
R-0001-A-24	DPD Reagent #1, .75 oz, Dropper Bottle, 24-pack	81.05	R-0011P-II	Calcium Indicator Powder, 50 g	11.55	R-0602P-J	Stannous Chloride Powder, .25 lb	11.24
R-0001-C	DPD Reagent #1, 2 oz, Dropper Bottle	7.75	R-0011P-J	Calcium Indicator Powder, .25 lb	18.01	R-0602P-K	Stannous Chloride Powder, 1 lb	29.35
R-0001-C-12	DPD Reagent #1, 2 oz, Dropper Bottle, 12-pack	83.70	R-0011P-K	Calcium Indicator Powder, 1 lb	35.23	R-0604-C	Chlorine Reagent #2, 2 oz	9.15
R-0002-A	DPD Reagent #2, .75 oz, Dropper Bottle	3.80	R-0600-A	Orthotolidine, .75 oz	1.70	R-0604-E	Chlorine Reagent #2, 16 oz	21.70
R-0002-A-24	DPD Reagent #2, .75 oz, Dropper Bottle, 24-pack	82.10	R-0600-A-DB	Orthotolidine, .75 oz, Dropper Bottle	1.75	R-0608-C	Sulfuric Acid Concentrated, 2 oz	12.60
R-0002-C	DPD Reagent #2, 2 oz, Dropper Bottle	7.95	R-0600-ADB24	Orthotolidine, .75 oz, Dropper Bottle, 24-pack	37.80	R-0608-E	Sulfuric Acid Concentrated, 16 oz	34.70 *
R-0002-C-12	DPD Reagent #2, 2 oz, Dropper Bottle, 12-pack	85.85	R-0600-C	Orthotolidine, 2 oz	4.80	R-0616-C	Hydrochloric Acid Concentrated, 2 oz	9.55
R-0003-A	DPD Reagent #3, .75 oz, Dropper Bottle	3.99	R-0600-C-DB	Orthotolidine, 2 oz, Dropper Bottle	4.85	R-0616-E	Hydrochloric Acid Concentrated, 16 oz	21.70 *
R-0003-A-24	DPD Reagent #3, .75 oz, Dropper Bottle, 24-pack	86.21	R-0600-E	Orthotolidine, 16 oz	12.10	R-0617-E	Iodide Iodate N/63, 16 oz	13.76
R-0003-C	DPD Reagent #3, 2 oz, Dropper Bottle	8.45	R-0600-F	Orthotolidine, 32 oz	19.00	R-0617-F	Iodide Iodate N/63, 32 oz	20.74
R-0003-C-12	DPD Reagent #3, 2 oz, Dropper Bottle, 12-pack	91.09	R-0600-F4	Orthotolidine, 32 oz, 4-pack	68.60	R-0617-G	Iodide Iodate N/63, gal	43.16
R-0011L-C	Calcium Indicator Liquid, 2 oz, Dropper Bottle	8.95	R-0601-C	Molybdate Reagent, 2 oz	7.15	R-0617-G4	Iodide Iodate N/63, gal, 4-pack	155.40
R-0011L-C-12	Calcium Indicator Liquid, 2 oz, Dropper Bottle, 12-pack	96.65	R-0601-C-DB	Molybdate Reagent, 2 oz, Dropper Bottle	7.15	R-0618-E	Hardness Reagent .01M, 16 oz	11.10
R-0011L-E	Calcium Indicator Liquid, 16 oz	29.50	R-0601-E	Molybdate Reagent, 16 oz	11.30	R-0618-F	Hardness Reagent .01M, 32 oz	15.56
			R-0601-F	Molybdate Reagent, 32 oz	19.60	R-0618-G	Hardness Reagent .01M, gal	29.77
			R-0601-F4	Molybdate Reagent, 32 oz, 4-pack	70.75	R-0618-G4	Hardness Reagent .01M, gal, 4-pack	107.10
			R-0601-G	Molybdate Reagent, gal	75.15 *	R-0619-E	Hardness Buffer, 16 oz (for K-1503)	15.50
			R-0601-G4	Molybdate Reagent, gal, 4-pack	270.75 *	R-0619B-C	Hardness Buffer, 2 oz w/ blue cap, Dropper Bottle (for K-1503)	7.40
			R-0601C-G	Molybdate Concentrate, gal	532.00	R-0619LB-C	Hardness Buffer, 2 oz w/ light blue cap, Dropper Bottle (for K-1503)	7.40
			R-0602-C	Stannous Chloride Concentrate, 2 oz	11.10	R-0620-J	Hardness Indicator Powder, .25 lb	10.95
			R-0602-E	Stannous Chloride Concentrate, 16 oz	42.37 *			

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0620-K	Hardness Indicator Powder, 1 lb	\$ 32.75	R-0630-A	Chromate Indicator, .75 oz, Dropper Bottle	\$ 5.10	R-0641-E	Reversion Neutralizer, 16 oz	\$ 23.80 *
R-0620B-I	Hardness Indicator Powder, 10 g w/ blue dot	5.75	R-0630-C	Chromate Indicator, 2 oz, Dropper Bottle	5.50	R-0642-A	Copper Buffer, .75 oz, Dropper Bottle	11.40
R-0620LB-I	Hardness Indicator Powder, 10 g w/ light blue dot	5.80	R-0630-E	Chromate Indicator, 16 oz	13.60	R-0643-A	Thiocarbamate Reagent, .75 oz, Dropper Bottle	7.20
R-0622-C	Trace Hardness Buffer, 2 oz, Dropper Bottle	14.60	R-0630-F	Chromate Indicator, 32 oz	17.80	R-0643-C	Thiocarbamate Reagent, 2 oz	18.75
R-0622-E	Trace Hardness Buffer, 16 oz	51.05	R-0630-G	Chromate Indicator, gal	58.85	R-0645-C	Total Alkalinity Indicator, 2 oz, Dropper Bottle	5.30
R-0623-C	Trace Hardness Reagent, 2 oz, Dropper Bottle	11.99	R-0630-G4	Chromate Indicator, gal, 4-pack	212.10	R-0645-E	Total Alkalinity Indicator, 16 oz	18.60
R-0623-E	Trace Hardness Reagent, 16 oz	46.00	R-0632-50-G	Sodium Carbonate N/50, gal	54.45	R-0645-F	Total Alkalinity Indicator, 32 oz	27.85
R-0627H-4-C	Hydrochloric Acid .25N, 2 oz, Dropper Bottle	22.30	R-0633-10-E	Iodide Iodate N/10, 16 oz	22.37	R-0645-G	Total Alkalinity Indicator, gal	73.00
R-0627H-10-E	Hydrochloric Acid N/10, 16 oz	9.70	R-0633-10-G	Iodide Iodate N/10, gal	125.50	R-0646-E	Barium Chloride Solution 10%, 16 oz	11.30
R-0627S-10-C	Sulfuric Acid N/10, 2 oz, Dropper Bottle	7.45	R-0633-126-E	Iodide Iodate N/126, 16 oz	12.02	R-0646-F	Barium Chloride Solution 10%, 32 oz	19.00
R-0627S-10-E	Sulfuric Acid N/10, 16 oz	9.60	R-0633-126-F	Iodide Iodate N/126, 32 oz	18.22	R-0646-G	Barium Chloride Solution 10%, gal	53.15
R-0627S-10-F	Sulfuric Acid N/10, 32 oz	12.00	R-0633-126-G	Iodide Iodate N/126, gal	45.10	R-0649-C	Hydrogen Peroxide Solution 3%, 2 oz, Dropper Bottle	8.05
R-0627S-10F4	Sulfuric Acid N/10, 32 oz, 4-pack	43.20	R-0633-40-E	Iodide Iodate N/40, 16 oz	11.92	R-0651-C	Chloroform, 2 oz	15.15 *
R-0627S-10-G	Sulfuric Acid N/10, gal	29.95 *	R-0633-40-F	Iodide Iodate N/40, 32 oz	17.90	R-0651-E	Chloroform, 16 oz	62.75 *
R-0627S-10G4	Sulfuric Acid N/10, gal, 4-pack	107.85 *	R-0633-40-G	Iodide Iodate N/40, gal	44.52	R-0652-E	Permanganate N/10, 16 oz	11.10
R-0627S-50-E	Sulfuric Acid N/50, 16 oz	9.00	R-0633-80-E	Iodide Iodate N/80, 16 oz	12.08	R-0653-2-C	Calcium Buffer, 2 oz, Dropper Bottle (for K-0202)	8.10
R-0627S-50-F	Sulfuric Acid N/50, 32 oz	13.30	R-0633-80-F	Iodide Iodate N/80, 32 oz	18.11	R-0653-2-E	Calcium Buffer, 16 oz (for K-0202)	24.90 *
R-0627S-50-G	Sulfuric Acid N/50, gal	28.00 *	R-0633-80-G	Iodide Iodate N/80, gal	44.78	R-0653-E	Calcium Buffer, 16 oz (for cadmium testing)	48.15 *
R-0627S-50G4	Sulfuric Acid N/50, gal, 4-pack	101.30 *	R-0633-80-G4	Iodide Iodate N/80, gal, 4-pack	161.23	R-0655H-2-F	Hydrochloric Acid 2.5N, 32 oz	20.90
R-0628-10-C	Sodium Hydroxide N/10, 2 oz, Dropper Bottle	5.80	R-0636-C	Starch Indicator Solution, 2 oz, Dropper Bottle	6.65	R-0655S-1-F	Sulfuric Acid 1.28N, 32 oz	31.80
R-0628-10-E	Sodium Hydroxide N/10, 16 oz	9.50	R-0636-E	Starch Indicator Solution, 16 oz	14.50	R-0656-C	Standard Alkali N, 2 oz, Dropper Bottle	17.45
R-0628-10-F	Sodium Hydroxide N/10, 32 oz	12.55	R-0636-F	Starch Indicator Solution, 32 oz	21.55	R-0656-F	Standard Alkali N, 32 oz	33.95
R-0628-10-G	Sodium Hydroxide N/10, gal	28.70 *	R-0636-G	Starch Indicator Solution, gal	43.60	R-0657-I	Manganous Sulfate Powder, 10 g	20.40 *
R-0628-44-E	Sodium Hydroxide N/44, 16 oz	18.15	R-0636-G4	Starch Indicator Solution, gal, 4-pack	156.95	R-0658-C	Manganous Sulfate Solution, 2 oz	15.30 *
R-0628-44-F	Sodium Hydroxide N/44, 32 oz	22.65	R-0637-C	Methyl Orange Indicator, 2 oz, Dropper Bottle	5.95	R-0659-I	Iodide Azide Powder, 10 g	23.84 *
R-0628-50-E	Sodium Hydroxide N/50, 16 oz	17.70	R-0637-E	Methyl Orange Indicator, 16 oz	13.05	R-0660S-C	Alkaline Iodide Azide Reagent, 2 oz	22.35
R-0628-50-F	Sodium Hydroxide N/50, 32 oz	26.85	R-0637-F	Methyl Orange Indicator, 32 oz	19.50	R-0664-C	Bleach Reagent #1, 2 oz	15.59
R-0628-50-G	Sodium Hydroxide N/50, gal	53.95 *	R-0637-G	Methyl Orange Indicator, gal	37.70	R-0664-C-DB	Bleach Reagent #1, 2 oz, Dropper Bottle	15.65
R-0629-35-E	Silver Nitrate N/35.5, 16oz	16.01	R-0638-E	Phenolphthalein Indicator, 16 oz	10.55	R-0664-E	Bleach Reagent #1, 16 oz	76.13
R-0629-35-F	Silver Nitrate N/35.5, 32 oz	24.10	R-0638-F	Phenolphthalein Indicator, 32 oz	14.91	R-0665-C	Bleach Reagent #2 (liquid), 2 oz	17.10
R-0629-35-F4	Silver Nitrate N/35.5, 32 oz, 4-pack	86.63	R-0638-G	Phenolphthalein Indicator, gal	44.57 *	R-0665-E	Bleach Reagent #2 (liquid), 16 oz	39.55 *
R-0629-35-G	Silver Nitrate N/35.5, gal	66.89 *	R-0638-G4	Phenolphthalein Indicator, gal, 4-pack	160.60 *	R-0665S-II	Bleach Reagent #2 (crystals), 50 g	17.35
R-0629-35-G4	Silver Nitrate N/35.5, gal, 4-pack	240.45 *	R-0638BR-C	Phenolphthalein Indicator, 2 oz w/ brown cap, Dropper Bottle	6.20	R-0666-C	Bleach Reagent #3, 2 oz, Dropper Bottle	9.60
R-0629-50-E	Silver Nitrate N/50, 16 oz	16.25	R-0638G-A	Phenolphthalein Indicator, .75 oz w/ green cap, Dropper Bottle	4.65	R-0666-E	Bleach Reagent #3, 16 oz	28.80
R-0629-50-F	Silver Nitrate N/50, 32 oz	19.95	R-0638G-C	Phenolphthalein Indicator, 2 oz w/ green cap, Dropper Bottle	6.20	R-0673-C	High Iron Reagent #1, 2 oz	15.80
R-0629-58-E	Silver Nitrate N/58.4, 16 oz	15.75	R-06380-A	Phenolphthalein Indicator, .75 oz w/ orange cap, Dropper Bottle	4.65	R-0673-E	High Iron Reagent #1, 16 oz	45.35 *
R-0629-58-F	Silver Nitrate N/58.4, 32 oz	18.90	R-06380-C	Phenolphthalein Indicator, 2 oz w/ orange cap, Dropper Bottle	6.20	R-0674-C	High Iron Reagent #2, 2 oz	15.55
R-0629-58-F4	Silver Nitrate N/58.4, 32 oz, 4-pack	68.04	R-0638W-C	Phenolphthalein Indicator, 2 oz w/ white cap, Dropper Bottle	6.20	R-0674-E	High Iron Reagent #2, 16 oz	42.50
R-0629-58-G	Silver Nitrate N/58.4, gal	63.00 *	R-0638S-E	Phenolphthalein Indicator 1%, 16 oz	12.85	R-0682-C	Chloride Reagent, 2 oz, Dropper Bottle	17.80 *
R-0629-71-E	Silver Nitrate N/71, 16 oz	13.39	R-0638S-F	Phenolphthalein Indicator 1%, 32 oz	30.60	R-0683-C	Hardness Rgt. (hi range), 2 oz, Drop. Bot.	5.64
R-0629-71-F	Silver Nitrate N/71, 32 oz	19.01	R-0640-E	Reversion Acid, 16 oz	18.65	R-0683-E	Hardness Reagent, 16 oz	19.00
R-0629-71-F4	Silver Nitrate N/71, 32 oz, 4-pack	69.30				R-0683-F	Hardness Reagent, 32 oz	28.55
R-0629-C	Silver Nitrate .54N, 2 oz, Dropper Bottle	51.40				R-0683-G	Hardness Reagent, gal	56.80
						R-0684-C	Hardness Reagent .0025M, 2 oz, Dropper Bottle	15.40

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0684-E	Hardness Reagent .0025M, 16 oz	\$ 28.40	R-0716-C	Sodium Carbonate N/10, 2 oz, Dropper Bottle	\$ 13.45	R-0742-C	Permanganate, 2 oz (for K-1564)	\$ 13.45
R-0686-E	Sulfuric Acid N, 16 oz	14.25	R-0720-E	Barium Chloride Solution 30%, 16 oz	33.85 *	R-0742-E	Permanganate, 16 oz (for K-1564)	28.20
R-0686-F	Sulfuric Acid N, 32 oz	20.90	R-0724-C	Hydrochloric Acid .12N, 2 oz, Dropper Bottle	5.50	R-0747-C	Sodium Thiosulfate, 2 oz, Dropper Bottle	13.85
R-0686-G	Sulfuric Acid N, gal	42.75 *	R-0724-E	Hydrochloric Acid .12N, 16 oz	13.45	R-0755-C	Magnesium Chloride Reagent, 2 oz, Dropper Bottle	13.70
R-0686-G4	Sulfuric Acid N, gal, 4-pack	153.85 *	R-0724-F	Hydrochloric Acid .12N, 32 oz	20.10	R-0755-E	Magnesium Chloride Reagent, 16 oz	24.80
R-0686O-C	Sulfuric Acid N, 2 oz w/ orange cap, Dropper Bottle	5.85	R-0724-F4	Hydrochloric Acid .12N, 32 oz, 4-pack	72.65	R-0756-G	Causticity Reagent #1, gal	68.25
R-0686P-C	Sulfuric Acid N, 2 oz w/ purple cap, Dropper Bottle	5.85	R-0725-I	Acid Starch Indicator Powder, 10 g	5.83	R-0757-G	Causticity Reagent #2, gal	52.82 *
R-0687-E	Sulfuric Acid .12N, 16 oz	14.35	R-0725-J	Acid Starch Indicator Powder, .25 lb	10.24	R-0760-G	Hydrochloric Acid N/50, gal	32.25 *
R-0687-F	Sulfuric Acid .12N, 32 oz	21.70	R-0725-K	Acid Starch Indicator Powder, 1 lb	26.25	R-0765-I	Potassium Iodide Crystals, 10 g	10.40
R-0687-F4	Sulfuric Acid .12N, 32 oz, 4-pack	78.00	R-0726-J	Sulfamic Acid Powder (technical grade), .25 lb	18.90	R-0765-II	Potassium Iodide Crystals, 50 g	20.74
R-0687-G	Sulfuric Acid .12N, gal	46.40 *	R-0729-C	Sulfuric Acid 50%, 2 oz	6.10	R-0765-J	Potassium Iodide Crystals, .25 lb	34.07
R-0687-G4	Sulfuric Acid .12N, gal, 4-pack	166.95 *	R-0729-C-DB	Sulfuric Acid 50%, 2 oz, Dropper Bottle	6.15	R-0765-K	Potassium Iodide Crystals, 1 lb	124.16
R-0687G-C	Sulfuric Acid .12N, 2 oz w/ green cap, Dropper Bottle	5.05	R-0729-E	Sulfuric Acid 50%, 16 oz	19.70 *	R-0766-C	Lead Reagent, 2 oz	12.95 *
R-0687O-C	Sulfuric Acid .12N, 2 oz w/ orange cap, Dropper Bottle	5.05	R-0730-C	Permanganate, 2 oz (for K-1539 & K-1563)	6.30	R-0768-C	Iodine Indicator, 2 oz, Dropper Bottle	9.50 *
R-0691-C	Sulfuric Acid Reagent, 2 oz, Dropper Bottle	14.90	R-0730-E	Permanganate, 16 oz (for K-1539 & K-1563)	15.90	R-0768-E	Iodine Indicator, 16 oz	32.30 *
R-0691-E	Sulfuric Acid Reagent, 16 oz	29.10	R-0730-F	Permanganate, 32 oz (for K-1539 & K-1563)	24.00	R-0769-C	Iodine Buffer, 2 oz, Dropper Bottle	10.50
R-0692-F	Silver Nitrate N/7.1, 32 oz	86.10	R-0730-F4	Permanganate, 32 oz, 4-pack (for K-1539 & K-1563)	86.55	R-0770-C	Oxone Reagent, 2 oz, Dropper Bottle	17.90
R-0697-C	Thiosulfate N/10, 2 oz, Dropper Bottle	5.15	R-0733-C	Permanganate, 2 oz (for K-1565, K-1646, K-9105)	7.10	R-0771-C	Lead Buffer, 2 oz	10.30
R-0697-E	Thiosulfate N/10, 16 oz	9.05	R-0733-E	Permanganate, 16 oz (for K-1565, K-1646, K-9105)	20.70	R-0772-E	Iodide Solution, 16 oz	30.61
R-0697-F	Thiosulfate N/10, 32 oz	12.85	R-0733-F	Permanganate, 32 oz (for K-1565, K-1646, K-9105)	28.30	R-0774-E	Thiosulfate Reagent, 2 oz, Dropper Bottle (for K-1725, K-1825, K-9061)	14.20
R-0697-G4	Thiosulfate N/10, gal, 4-pack	167.50	R-0735-E	Hydrochloric Acid .6N, 16 oz	19.75	R-0775-E	Hardness Buffer, 16 oz	17.20
R-0698-C	Silver Nitrate N/10, 2 oz, Dropper Bottle	13.07	R-0735-F	Hydrochloric Acid .6N, 32 oz	25.35	R-0780-C	Thiosulfate Reagent, 2 oz, Dropper Bottle (for K-1658)	10.50
R-0698-F	Silver Nitrate N/10, 32 oz	46.75	R-0735G-C	Hydrochloric Acid .6N, 2 oz w/ green cap, Dropper Bottle	11.00	R-0781-II	Acid Sulfate, 50 g	8.75
R-0698-F4	Silver Nitrate N/10, 32 oz, 4-pack	185.75	R-0735LB-C	Hydrochloric Acid .6N, 2 oz w/ light blue cap, Dropper Bottle	11.00	R-0781-J	Acid Sulfate, .25 lb	12.75
R-0699-C	Iodide Iodate Reagent (high range), 2 oz, Dropper Bottle	5.99	R-0736-E	Sulfuric Acid .6N, 16 oz	13.80	R-0781-K	Acid Sulfate, 1 lb	26.65
R-0699-E	Iodide Iodate Reagent (high range), 16 oz	18.38	R-0736-F	Sulfuric Acid .6N, 32 oz	18.60	R-0782-C	Thiosulfate Reagent, 2 oz, Dropper Bottle (for K-1588)	16.85
R-0699-F	Iodide Iodate Reagent (high range), 32 oz	28.61	R-0736BR-C	Sulfuric Acid .6N, 2 oz w/ brown cap, Dropper Bottle	6.25	R-0783-C	Thiosulfate Reagent, 2 oz, Dropper Bottle (for K-1243)	13.10
R-0699-G	Iodide Iodate Reagent (high range), gal	60.48	R-0736G-C	Sulfuric Acid .6N, 2 oz w/ green cap, Dropper Bottle	6.20	R-0784-C	ODA Indicator, 2 oz, Dropper Bottle	19.00
R-0700-C	Thiosulfate Reagent, 2 oz, Dropper Bottle (for K-1579 & K-1580)	15.10	R-0736O-C	Sulfuric Acid .6N, 2 oz w/ orange cap, Dropper Bottle	6.20	R-0785-C	Hydrochloric Acid N/20, 2 oz, Dropper Bottle	10.50
R-0700-E	Thiosulfate Reagent, 16 oz (for K-1579 & K-1580)	27.80	R-0737-C	Hydrochloric Acid 3N, 2 oz, Dropper Bottle	11.05	R-0786-I	Glutaraldehyde Reagent #1, 10 g	24.95 *
R-0706-C	Silver Nitrate, 2 oz, Dropper Bottle (for K-1771)	14.96	R-0737-F	Hydrochloric Acid 3N, 32 oz	29.05	R-0787-A	Glutaraldehyde Reagent #2, .75 oz, Dropper Bottle	9.40
R-0706-E	Silver Nitrate, 16 oz (for K-1771)	68.09	R-0738-E	Hydrochloric Acid 1N, 16 oz	9.65	R-0789-C	Thiosulfate Reagent, 2 oz, Dropper Bottle (for K-1568)	15.90
R-0706-F	Silver Nitrate, 32 oz (for K-1771)	120.28	R-0738-F	Hydrochloric Acid 1N, 32 oz	12.74	R-0794-E	Thiosulfate Reagent, 16 oz (for chromate testing)	29.30
R-0706-F4	Silver Nitrate, 32 oz, 4-pack (for K-1771)	433.65	R-0739-C	Sodium Hydroxide Reagent, 2 oz, Dropper Bottle (for K-1547)	14.50	R-0800-I	CAS Indicator Powder, 10 g	17.55
R-0709-C	Hydrochloric Acid Reagent, 2 oz, Dropper Bottle	16.00	R-0739-E	Sodium Hydroxide Reagent, 16 oz (for K-1547)	32.05	R-0802P-I	Xylenol Orange Indicator Powder, 10 g	8.51
R-0709-E	Hydrochloric Acid Reagent, 16 oz	35.35	R-0740-C	Sodium Hydroxide Reagent, 2 oz, Dropper Bottle (for K-1548)	14.40	R-0802P-J	Xylenol Orange Indicator Powder, .25 lb	31.34
R-0711-C	Barium Chloride Solution 20%, 2 oz	5.90	R-0741-C	Silver Nitrate, 2 oz, Dropper Bottle	34.13	R-0802P-K	Xylenol Orange Indicator Powder, 1 lb	96.55
R-0711-E	Barium Chloride Solution 20%, 16 oz	20.05				R-0803-C	Phosphonate Titrating Solution, 2 oz, Dropper Bottle (for K-1583 & K-1584)	6.25
R-0711-F	Barium Chloride Solution 20%, 32 oz	31.10						

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0803-E	Phosphonate Titrating Solution, 16 oz (for K-1583 & K-1584)	\$ 21.16	R-0834-C	pH Soaker Solution (pH 4 Buffer with no dye), 2 oz, Dispenser Tip	\$ 5.85	R-0868-25C-E	Conductivity Solution, 2500 µS (1273 ppm NaCl), 16 oz	\$ 11.95 *
R-0803-F	Phosphonate Titrating Solution, 32 oz (for K-1583 & K-1584)	31.13	R-0834-E	pH Soaker Solution (pH 4 Buffer with no dye), 16 oz	16.85	R-0868-25C-F	Conductivity Solution, 2500 µS (1273 ppm NaCl), 32 oz	18.10 *
R-0803-G	Phosphonate Titrating Solution, gal (for K-1583 & K-1584)	69.14	R-0837-I	Sulfamic Acid Powder (reagent grade), 10 g	16.40	R-0868-25C-G	Conductivity Solution, 2500 µS (1273 ppm NaCl), gal	44.05 *
R-0804-DD	Deminerizer Bottle, 8 oz	18.05	R-0839-C	Zinc Reagent #1, 2 oz	13.20	R-0868-39C-C	Conductivity Solution, 3900 µS (2027 ppm NaCl), 2 oz, Dispenser Tip	7.30
R-0805-C	Fluoride Masking Agent, 2 oz, Dropper Bottle	7.85	R-0840-I	Zinc Reagent #2, 10 g	9.75	R-0868-39C-F	Conductivity Solution, 3900 µS (2027 ppm NaCl), 32 oz	26.05 *
R-0805-E	Fluoride Masking Agent, 16 oz	28.20	R-0841-C	Zinc Reagent #3, 2 oz, Dropper Bottle	14.25	R-0868-50-F	Conductivity Solution, 50 µS (23.4 ppm NaCl), 32 oz	18.35 *
R-0806-C	Hardness Rgt. (low range), 2 oz, Drop. Bot.	5.90	R-0841-E	Zinc Reagent #3, 16 oz	31.75	R-0868-5C-E	Conductivity Solution, 500 µS (242 ppm NaCl), 16 oz	12.60 *
R-0806-E	Hardness Reagent (low range), 16 oz	14.95	R-0843-Z	DPD Tablet #1, 1,000-pack	170.10	R-0868-5C-F	Conductivity Solution, 500 µS (242 ppm NaCl), 32 oz	18.15 *
R-0806-F	Hardness Reagent (low range), 32 oz	21.40	R-0844-Z	DPD Tablet #3, 1,000-pack	194.25	R-0868-5C-G	Conductivity Solution, 500 µS (242 ppm NaCl), gal	44.65 *
R-0806-G	Hardness Reagent (low range), gal	43.90	R-0845-C	Mercuric Nitrate Titrating Solution, 2 oz, Dropper Bottle	16.35	R-0868-5K-F	Conductivity Solution, 5000 µS (2634 ppm NaCl), 32 oz	18.20 *
R-0807-C	Silver Nitrate, 2 oz, Dropper Bottle (for K-1543)	12.08	R-0846-C	PAO Reagent, 2 oz, Dropper Bottle	31.45 *	R-0868-5K-G	Conductivity Solution, 5000 µS (2634 ppm NaCl), gal	45.20 *
R-0807-E	Silver Nitrate, 16 oz (for K-1543)	31.45	R-0846-E	PAO Reagent, 16 oz	165.25 *	R-0869-C	Neutralizing Amine Titrating Solution, 2 oz, Dropper Bottle	15.25
R-0808-C	Iodide Iodate Reagent (low range), 2 oz, Dropper Bottle	5.67	R-0847-C	Sequestering Reagent (low range), 2 oz, Dropper Bottle	17.75	R-0870-I	DPD Powder, 10 g	8.75
R-0808-E	Iodide Iodate Reagent (low range), 16 oz	15.49	R-0847-E	Sequestering Reagent, 16 oz	25.20	R-0870-I-12	DPD Powder, 10 g, 12-pack	94.55
R-0808-F	Iodide Iodate Reagent (low range), 32 oz	22.73	R-0848-Z	Phenol Red Tablet, 1,000-pack	202.13	R-0870-J	DPD Powder, .25 lb	40.10
R-0808-G	Iodide Iodate Reagent (low range), gal	52.24	R-0851-A	Iron Reagent #1, .75 oz	6.00	R-0870-K	DPD Powder, 1 lb	132.55
R-0809-II	TDS Resin, 50 g	14.80	R-0851-C	Iron Reagent #1, 2 oz	8.80	R-0871-C	FAS-DPD Titrating Reagent (chlorine), 2 oz, Dropper Bottle (for drop tests)	12.40
R-0810-C	Sodium Carbonate .24N, 2 oz, Dropper Bottle	6.70	R-0851-E	Iron Reagent #1, 16 oz	50.30	R-0871-C-12	FAS-DPD Titrating Reagent (chlorine), 2 oz, Dropper Bottle, 12-pack (for drop tests)	133.95
R-0810-E	Sodium Carbonate .24N, 16 oz	24.40	R-0852-A	Iron Reagent #2, .75 oz	5.60	R-0871-E	FAS-DPD Titrating Reagent (chlorine), 16 oz (for drop tests)	27.70
R-0811-C	Sulfuric Acid .24N, 2 oz, Dropper Bottle	7.45	R-0852-C	Iron Reagent #2, 2 oz	7.60	R-0871-F	FAS-DPD Titrating Reagent (chlorine), 32 oz (for drop tests)	40.30
R-0811-E	Sulfuric Acid .24N, 16 oz	29.30	R-0852-E	Iron Reagent #2, 16 oz	23.25	R-0872-C	FAS-DPD Titrating Reagent (bromine), 2 oz, Dropper Bottle	12.50
R-0813-C	Glycine Solution, 2 oz	11.65	R-0854-A	Total Hardness Reagent, .75 oz, Dropper Bottle	5.65	R-0872-C-12	FAS-DPD Titrating Reagent (bromine), 2 oz, Dropper Bottle, 12-pack	135.25
R-0814-C	EDTA Solution, 2 oz	11.15	R-0854-C	Total Hardness Reagent, 2 oz, Dropper Bottle	10.45	R-0874-C	A.C. Complete Reagent, 2 oz, Dropper Bottle	21.20
R-0815-C	FAS Titrating Solution, 2 oz, Dropper Bottle	21.20	R-0854-E	Total Hardness Reagent, 16 oz	31.10	R-0875-E	FAS-DPD Titrating Reagent (chlorine), 16 oz (for buret titrations)	19.00
R-0817-C	Iodide Iodate Reagent (high range), 2 oz, Dropper Bottle	12.85	R-0860-A	Copper Reagent #1, .75 oz	5.30	R-0879-C	NTA Cosolvent Solution, 2 oz	6.90
R-0817-E	Iodide Iodate Reagent (high range), 16 oz	26.40	R-0860-C	Copper Reagent #1, 2 oz	7.60	R-0879-F	NTA Cosolvent Solution, 32 oz	16.12
R-0819-A	Ferriin Indicator, .75 oz, Dropper Bottle	9.50	R-0860-E	Copper Reagent #1, 16 oz	22.65	R-0880-E	Phosphonate Titrating Solution, 16 oz (for K-0444)	32.25
R-0819-C	Ferriin Indicator, 2 oz, Dropper Bottle	16.90	R-0861-A	Copper Reagent #2, .75 oz	5.55	R-0881-A	Toluidine Blue O Indicator, .75 oz, Dropper Bottle	11.30
R-0819-E	Ferriin Indicator, 16 oz	50.20	R-0861-C	Copper Reagent #2, 2 oz	8.20			
R-0820-C	CAN Solution, 2 oz, Dropper Bottle	9.20	R-0861-E	Copper Reagent #2, 16 oz	22.21			
R-0820-E	CAN Solution, 16 oz	41.85	R-0866-C	Sequestering Reagent (low range), 2 oz, Dropper Bottle	22.05			
R-0820-F	CAN Solution, 32 oz	67.10	R-0866-E	Sequestering Reagent, 16 oz	45.26			
R-0820-G	CAN Solution, gal	208.00 *	R-0868-1K-E	Conductivity Solution, 1000 µS (492 ppm NaCl), 16 oz	13.50 *			
R-0824-E	Thiosulfate N, 16 oz	23.55	R-0868-1K-F	Conductivity Solution, 1000 µS (492 ppm NaCl), 32 oz	18.35 *			
R-0830-C	Polymer Reagent #1, 2 oz	25.88	R-0868-1K-G	Conductivity Solution, 1000 µS (492 ppm NaCl), gal	45.30 *			
R-0830-E	Polymer Reagent #1, 16 oz	62.45	R-0868-25C-C	Conductivity Solution, 2500 µS (1273 ppm NaCl), 2 oz, Dispenser Tip	4.65			
R-0831-C	Polymer Reagent #2, 2 oz	24.91	R-0868-25C-D	Conductivity Solution, 2500 µS (1273 ppm NaCl), 4 oz	5.88			
R-0831-E	Polymer Reagent #2, 16 oz	60.35						
R-0833-C	DI Water, 2 oz, Dispenser Tip	6.80						
R-0833-F	DI Water, 32 oz	12.10						
R-0833-G	DI Water, gal	17.60						

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0881-C	Toluidine Blue O Indicator, 2 oz, Dropper Bottle	\$ 14.70	R-0928-C	PAA Reagent #4, 2 oz, Dropper Bottle	\$ 10.05	R-1003J-E	pH Indicator Solution, Phenol Red, 16 oz (for Midget & Slide comparators)	\$ 16.75
R-0881-E	Toluidine Blue O Indicator, 16 oz	31.87	R-0929-C	PAA Titrating Solution, 2 oz, Dropper Bottle	19.85	R-1003J-F	pH Indicator Solution, Phenol Red, 32 oz (for Midget & Slide comparators)	24.80
R-0883-E	QAC Titrating Solution (low range), 16 oz	60.65	R-0950-C	Complexing Reagent, 2 oz	14.50	R-1003J-G	pH Indicator Solution, Phenol Red, gal (for Midget & Slide comparators)	61.40
R-0884-C	QAC Titrating Solution (high range), 2 oz, Dropper Bottle	24.85	R-0950-E	Complexing Reagent, 16 oz	29.15	R-1003J-G4	pH Indicator Solution, Phenol Red, gal, 4-pack (for Midget & Slide comparators)	221.00
R-0884-C-12	QAC Titrating Solution (high range), 2 oz, Dropper Bottle, 12-pack	268.40	R-0951-C	QAC Titrating Solution (low range), 2 oz, Dropper Bottle	16.15	R-1003K-A	Cresol Red Indicator, .75 oz	9.10
R-0885-C	Thiosulfate Reagent, 2 oz, Dropper Bottle (for K-1443)	18.65	R-0951-E	QAC Titrating Solution, 16 oz	35.15	R-1003K-C	Cresol Red Indicator, 2 oz	10.95
R-0887-C	Molybdenum Standard, 20 ppm, 2 oz	8.20	R-0953-A	Boron Reagent #1, .75 oz, Dropper Bottle	7.80	R-1003K-E	Cresol Red Indicator, 16 oz	19.30
R-0887-C-12	Molybdenum Standard, 20 ppm, 2 oz, 12-pack	88.75	R-0954-A	Boron Reagent #2, .75 oz, Dropper Bottle	9.30	R-1003K-F	Cresol Red Indicator, 32 oz	28.80
R-0890-C	Molybdenum Buffer Solution, 2 oz	10.95	R-0955-A	Boron Reagent #3, .75 oz, Dropper Bottle	5.85	R-1003K-G	Cresol Red Indicator, gal	65.95
R-0890-C-12	Molybdenum Buffer Solution, 2 oz, 12-pack	118.50	R-0956-I	Boron Reagent #4, 10 g	5.60	R-1003L-A	Meta Cresol Purple Indicator, .75 oz	7.85
R-0890-E	Molybdenum Buffer Solution, 16 oz	53.39	R-0957-C	Boron Reagent #5, 2 oz, Dropper Bottle	24.00	R-1003L-C	Meta Cresol Purple Indicator, 2 oz	9.55
R-0891-C	Molybdenum Indicator Solution, 2 oz	11.60 *	R-0958-II	Boron Reagent #6, 50 g	8.00	R-1003L-E	Meta Cresol Purple Indicator, 16 oz	19.20
R-0891-C-12	Molybdenum Indicator Solution, 2 oz, 12-pack	125.75 *	R-0959-C	Boron Titrating Reagent (low range), 2 oz, Dropper Bottle	13.50	R-1003L-F	Meta Cresol Purple Indicator, 32 oz	30.30
R-0891-E	Molybdenum Indicator Solution, 16 oz	57.05 *	R-0960-C	Boron Titrating Reagent (high range), 2 oz, Dropper Bottle	13.80	R-1003M-A	Thymol Blue Indicator, .75 oz	7.35
R-0892-C	Molybdenum Titrating Solution, 2 oz, Dropper Bottle	8.90	R-0965-I	Iron Reagent #1, 10 g	12.05	R-1003M-C	Thymol Blue Indicator, 2 oz	9.70
R-0892-C-12	Molybdenum Titrating Solution, 2 oz, Dropper Bottle, 12-pack	96.10	R-0966-C	Iron Reagent #2, 2 oz (for K-1851)	18.60	R-1003M-E	Thymol Blue Indicator, 16 oz	19.30
R-0892-E	Molybdenum Titrating Solution, 16 oz	35.40	R-0968-1K-C	TDS Solution (equivalent to 1000 ppm/442™), 2 oz, Dispenser Tip	5.45	R-1003N-C	Phthalein Red Indicator, 2 oz	9.80
R-0893-C	NTA Titrating Reagent, 2 oz, Dropper Bottle	14.80	R-0968-1K-F	TDS Solution (equivalent to 1000 ppm/442™), 32 oz	19.25 *	R-1003N-E	Phthalein Red Indicator, 16 oz	18.85 *
R-0896-C	Sulfuric Acid, 2 oz, Dropper Bottle	10.45	R-1003B-C	Acid Meta Cresol Purple Indicator, 2 oz	12.65	R-1003O-C	Tolyl Red Indicator, 2 oz	12.40
R-0899-G	Hydrochloric Acid N/30, gal	78.70 *	R-1003C-E	Benzo Yellow Indicator, 16 oz	23.40	R-1003O-E	Tolyl Red Indicator, 16 oz	26.35
R-0900-I	Molybdenum Indicator Powder, 10 g	11.65	R-1003D-C	Bromphenol Blue Indicator, 2 oz, Dropper Bottle	12.40	R-1003P-C	Acyl Red Indicator, 2 oz	11.30
R-0900-I-12	Molybdenum Indicator Powder, 10 g, 12-pack	126.10	R-1003E-C	Bromocresol Green Indicator, 2 oz	9.90	R-1003P-E	Acyl Red Indicator, 16 oz	22.35
R-0901-C	Molybdenum Indicator Solvent, 2 oz	6.05 *	R-1003E-E	Bromocresol Green Indicator, 16 oz	21.00	R-1003Q-C	Parazo Orange Indicator, 2 oz	10.65
R-0901-C-12	Molybdenum Indicator Solvent, 2 oz, 12-pack	65.35 *	R-1003E-F	Bromocresol Green Indicator, 32 oz	31.75	R-1003Q-E	Parazo Orange Indicator, 16 oz	19.30
R-0905-C	Citrate Buffer, 2 oz	16.45	R-1003F-C	Methyl Red Indicator, 2 oz	10.50	R-1003R-C	Acyl Blue Indicator, 2 oz	14.20
R-0906-I	Periodate Powder, 10 g	22.95	R-1003F-E	Methyl Red Indicator, 16 oz	20.85	R-1003S-C	Benzo Red Indicator, 2 oz	11.50
R-0911-I	Total Chelant Indicator Powder, 10 g	12.95	R-1003F-F	Methyl Red Indicator, 32 oz	31.70	R-1003S-E	Benzo Red Indicator, 16 oz	23.70
R-0912-C	Total Chelant Titrating Solution, 2 oz, Dropper Bottle	15.90	R-1003G-A	Chlorphenol Red Indicator, .75 oz	8.50	R-1003T-C	Thymol Red Indicator, 2 oz	10.15
R-0920-F	Hardness Reagent .001M, 32 oz	31.85	R-1003G-C	Chlorphenol Red Indicator, 2 oz	10.80	R-1003T-E	Thymol Red Indicator, 16 oz	19.30 *
R-0920-G	Hardness Reagent .001M, gal	67.05	R-1003G-E	Chlorphenol Red Indicator, 16 oz	21.65	R-1003T-F	Thymol Red Indicator, 32 oz	38.50 *
R-0921-I	Sulfanilamide Powder, 10 g	17.85	R-1003H-A	Bromthymol Blue Indicator, .75 oz	8.40	R-1003U-A	Long Range Indicator, .75 oz	6.10
R-0922-H	Zinc Powder, 25 g	23.80 †	R-1003H-C	Bromthymol Blue Indicator, 2 oz	10.40	R-1003U-A-DB	Long Range Indicator, .75 oz, Dropper Bottle	6.15
R-0923-I	NED Powder, 10 g	12.10	R-1003H-E	Bromthymol Blue Indicator, 16 oz	19.45	R-1003U-C	Long Range Indicator, 2 oz	8.15
R-0925-C	PAA Reagent #1, 2 oz	9.60	R-1003H-F	Bromthymol Blue Indicator, 32 oz	29.40	R-1003U-C-DB	Long Range Indicator, 2 oz, Dropper Bottle	8.20
R-0926-A	PAA Reagent #2, .75 oz, Dropper Bottle	13.65	R-1003J-A	pH Indicator Solution, Phenol Red, .75 oz (for Midget & Slide comparators)	4.65	R-1003U-E	Long Range Indicator, 16 oz	23.10
R-0927-C	PAA Reagent #3, 2 oz	8.00	R-1003J-C	pH Indicator Solution, Phenol Red, 2 oz (for Midget & Slide comparators)	6.25	R-1003U-F	Long Range Indicator, 32 oz	32.92
			R-1003J-C-12	pH Indicator Solution, Phenol Red, 2 oz, 12-pack (for Midget & Slide comparators)	67.50	R-1003U-G	Long Range Indicator, gal	70.61 *
			R-1003J-D	pH Indicator Solution, Phenol Red, 4 oz (for Midget & Slide comparators)	10.24	R-1003W-C	BTB/MCP Indicator, 2 oz	10.55
						R-1099-02-E	Buffer Solution, pH 2.0, 16 oz	11.45
						R-1099-04-C	Buffer Solution, pH 4.0, 2 oz, Dispenser Tip	5.90
						R-1099-04-D	Buffer Solution, pH 4.0, 4 oz	7.50
						R-1099-04-E	Buffer Solution, pH 4.0, 16 oz	9.35

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

† No UPS and requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-1099-04-F	Buffer Solution, pH 4.0, 32 oz	\$ 14.55	R-1099-12-E	Buffer Solution, pH 12.0, 16 oz	\$ 11.70	R-1306T-C	Silica Reagent #1, 2 oz	\$ 5.85
R-1099-04-G	Buffer Solution, pH 4.0, gal	32.00	R-1305J-D	Dilute Hydrochloric Acid, 4 oz	11.20	R-1306T-E	Silica Reagent #1, 16 oz	15.70
R-1099-07-C	Buffer Solution, pH 7.0, 2 oz, Dispenser Tip	5.90	R-1305J-E	Dilute Hydrochloric Acid, 16 oz	13.80	R-1306T-F	Silica Reagent #1, 32 oz	23.85
R-1099-07-D	Buffer Solution, pH 7.0, 4 oz	7.35	R-1305K-F	Thiocyanate Reagent, 32 oz	28.85	R-1306U-C	Silica Reagent #2, 2 oz	7.10
R-1099-07-E	Buffer Solution, pH 7.0, 16 oz	9.35	R-1305L-C	Permanganate N/5, 2 oz	14.25	R-1306U-E	Silica Reagent #2, 16 oz	23.50
R-1099-07-F	Buffer Solution, pH 7.0, 32 oz	14.55	R-1305O-II	Ammonium Persulfate, 50 g	22.55	R-1306U-F	Silica Reagent #2, 32 oz	40.90
R-1099-07-G	Buffer Solution, pH 7.0, gal	32.00	R-1305Q-II	Silica Reagent #4, 50 g	11.20	R-7008-G	Sodium Thiosulfate 2%, gal	37.20
R-1099-08-E	Buffer Solution, pH 8.0, 16 oz	12.85	R-1305Q-J	Silica Reagent #4, .25 lb	19.00	R-7022-C	Conductivity Neutralizing Solution, 2 oz, Dropper Bottle	12.80
R-1099-09-E	Buffer Solution, pH 9.0, 16 oz	12.85	R-1305U-C	Silica Reagent #3, 2 oz	8.90 *	R-7022-E	Conductivity Neutralizing Solution, 16 oz	15.28
R-1099-10-C	Buffer Solution, pH 10.0, 2 oz, Dispenser Tip	5.90	R-1305U-C-DB	Silica Reagent #3, 2 oz, Dropper Bottle	8.90 *	R-7022-G	Conductivity Neutralizing Solution, gal	67.15 *
R-1099-10-D	Buffer Solution, pH 10.0, 4 oz	7.35	R-1305U-E	Silica Reagent #3, 16 oz	27.55 *	R-7035-F	EDTA Standard Solution .005M, 32 oz	30.75
R-1099-10-E	Buffer Solution, pH 10.0, 16 oz	9.35	R-1305Y-C	Dilute Ammonia 1:1, 2 oz	19.90	R-7046-J	Gallic Acid, .25 lb	55.70
R-1099-10-F	Buffer Solution, pH 10.0, 32 oz	14.55	R-1305Z-C	Dimethylglyoxime Reagent, 2 oz	18.05	R-7046-K	Gallic Acid, 1 lb	174.90
R-1099-10-G	Buffer Solution, pH 10.0, gal	32.00	R-1305Z-E	Dimethylglyoxime Reagent, 16 oz	36.20	R-7054-G	Amperometric Phosphate Buffer, gal	117.10
R-1099-11-E	Buffer Solution, pH 11.0, 16 oz	11.70	R-1306E-C	Hydroxylamine Reagent, 2 oz	17.80	R-7061-C	Sodium Thiosulfate 10%, 2 oz, Dropper Bottle	14.70
			R-1306G-C	Phenanthroline Reagent, 2 oz	13.20			
			R-1306G-F	Phenanthroline Reagent, 32 oz	39.05			

NUMERIC LISTING OF ALL REPLACEMENT PARTS

PART NO.	PART DESCRIPTION	PRICE	PART NO.	PART DESCRIPTION	PRICE
2146	Bottle, .75 oz, poly, natural (for 2263, 2270, 2300)	\$ 2.30	2313	Cap, Dispenser, 24 mm, white (for 2246)	\$ 1.90
2147	Bottle, .75 oz, poly, amber (for 2263, 2270, 2300)	2.45	2331	Bottle, gal, poly, natural (for 2332)	6.75
2235-12	Dipper Spoon w/ paddle handle, 12-pack (for 2629)	1.75	2332	Cap, 38 mm, white, tamper-resistant (for 2331)	1.30
2239	Bottle, 2 oz, glass, amber (for 2344)	2.00	2629	Vial, 10 g w/ desiccant liner, plastic (for powder)	5.30
2241	Bottle, 2 oz, poly, amber (for 2344)	3.20	2629-12	Vial, 10 g w/ desiccant liner, plastic, 12-pack (for 2235)	56.65
2242	Bottle, 2 oz, poly, natural (for 2263, 2270, 2300)	3.05	3020	Light Bulb, Dalite™, 25-watt (for 9195 & 9196)	14.70
2244	Bottle, 4 oz, glass, amber (for 2277)	3.75	3208	Filter, Dalite™, glass (for 9195 & 9196)	40.85 NET
2246	Bottle, 4 oz, poly, natural (for 2278 & 2313)	2.63	3235	Cap, Test Cell (5 mL), square, plastic (for 9017)	1.05
2249	Bottle, 16 oz, poly, amber (for 2282)	4.80	3243	Cap, Test Cell (11.5 mL), rectangular, plastic (for 4024 & 9018)	1.30
2251	Bottle, 16 oz, poly, natural (for 2282)	3.80	3267	Cap, Test Cell (5 mL), rectangular, plastic (for 4025)	1.30
2252	Bottle, 32 oz, glass, amber (for 2285 & 2351)	6.70	4001	Beaker, 150 mL, glass	13.20
2253	Bottle, 32 oz, poly, amber (for 2282)	4.90	4004	Cylinder, Graduated (10 mL w/ 0.2 mL div), glass	10.60
2254	Bottle, 32 oz, poly, natural (for 2282)	4.35	4005	Cylinder, Graduated (50 mL w/ 1.0 mL div), glass	14.60
2263	Cap, Dropper, 18 mm, natural (for 2146, 2147, 2241, 2242)	1.31	4007	Cylinder, Graduated (100 mL w/ 1 mL div), glass	19.25
2269	Cap, Dispenser, 18 mm, white (for 2146, 2147, 2241, 2242)	1.30	4008	Flask, Erlenmeyer, 250 mL, glass	11.65
2270	Cap, 18 mm w/ liner, black (for 2146, 2147, 2205, 2241, 2242)	1.25	4010	Pipet (eye dropper), Graduated (1 mL w/ 0.1 mL div), glass	10.05
2278	Cap, 24 mm, black (for 2246)	1.45	4011	Pipet (eye dropper), Graduated (10 mL w/ 0.1 mL div), glass	22.55
2280	Cap, Dispenser, 28 mm, white (for 2249, 2251, 2253, 2254)	1.60	4015	Stirring Rod, 6", glass	2.10
2281	Cap, Buret, 28 mm w/ hole, black (for 2249, 2251, 2253, 2254)	1.20	4016	Hydrometer, Specific Gravity, 1.000-1.070	65.35
2282	Cap, 28 mm w/ liner, black (for 2249, 2251, 2253, 2254)	1.15	4017	Hydrometer, Specific Gravity, 1.000-1.400	59.95
2285	Cap, 33 mm, black (for 2252 & 2291)	1.35	4018	Cylinder, Hydrometer (200 mm) w/ pour spout, glass	40.35
2286	Cap, 38 mm, black (for 2292)	1.52	4023	Test Tube, Calibrated (5 mL), glass	1.80
2288	Cap, 53 mm, black (for 2294 & 2295)	1.47	4023-6	Test Tube, Calibrated (5 mL), glass, 6-pack	9.20
2291	Jar, 60 cc (wide-mouth), poly, natural (for 2285)	2.55	4024	Test Cell, Calibrated (11.5 mL), rectangular, plastic (for 3243)	5.05
2292	Jar, 120 cc (wide-mouth), poly, natural (for 2286)	3.05	4025	Test Cell, Calibrated (5 mL), rectangular, plastic (for 3267)	4.55
2294	Jar, 500 cc (wide-mouth), poly, natural (for 2288)	5.35	4026	Dipper Spoon, 12 cm, plastic	1.25
2300	Tip, 18 mm, natural (for 2146, 2147, 2241, 2242)	1.16	4027	Funnel, 58 mm, plastic	1.95
2306	Vial, Graduated (30 mL), 10 dram w/cap, glass	6.85	4028	Pipet (eye dropper), Calibrated (0.5 mL) w/ cap, plastic	1.60

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

NUMERIC LISTING OF ALL REPLACEMENT PARTS (continued)

PART NO.	PART DESCRIPTION	PRICE	PART NO.	PART DESCRIPTION	PRICE
4029	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL), plastic	\$ 2.05	6261	Filter Discs, .45 µM, Millipore™, 100/box (for syringe filter)	\$ 160.45
4030	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ cap, plastic	2.35	6433	Test Paper, Quat, 100-400 ppm, 100 strips	13.95
4034	Sample Tube, Calibrated (25 mL), plastic	2.95	6510	Meter, pH/Temperature, Myron L TechPro II™ TH1	523.00
4035	Sample Tube, Calibrated (5 mL), plastic	1.70	6520	Meter, Conductivity/TDS/Temperature, Myron L TechPro II™ TP1	800.00
4043	Flask, Erlenmeyer, 125 mL, glass	10.65	6530	Meter, Conductivity/TDS/pH/Temperature, Myron L TechPro II™ TPH1	1,138.20
4044	Dipper Spoon, 8.5 cm, plastic	0.74	6540	Meter, TDS, Myron L 512T5	278.00
4065	Flask, Erlenmeyer, 50 mL, glass	11.08	6542	Meter, Sodium Chloride/TDS, Myron L PoolMeter™ 512T5D	298.00
4072	Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div), plastic	8.85	6545	Meter, Conductivity, Myron L 512M5	278.00
4075	Pipet (eye dropper), Calibrated (0.5 mL), plastic	1.05	6555	Meter, Conductivity/Salinity/TDS, Myron L Ultrapen™ PT1	172.20
4077	Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div) w/ cap, plastic	5.40	6560	Meter, Conductivity, Myron L EP-10	486.45
4078	Pipet (eye dropper), Graduated (3 mL w/ 0.5 mL div), plastic	4.05	6570	Meter, Conductivity/ORP/pH/Sodium Chloride/TDS/Temperature, Myron L POOLPRO™ PS6si	1,266.00
4085	Stirring Rod, 10", plastic	2.45	7004	Case, Midget Comparator, Non-ribbed, fits 22 mL bottles, 4" w x 3.5" d x 4" h, plastic, blue	9.75
4086-6	Stirring Rod, 5", plastic, 6-pack	4.80	7008	Case, Mini Multipurpose, Non-ribbed, fits 22 mL bottles, 4.25" w x 4" d x 1.5" h, plastic, blue	10.80
5425	Color Card Comparator, pH, Long Range, 3-11 ppm	3.40	7009	Case, Slide Comparator, Ribbed w/ compartments, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	28.50
5426	Color Card Comparator, pH, Long Range, 5.0-9.0 ppm	3.40	7012	Case, Slide Comparator, Non-ribbed, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	22.80
5432	Color Card Comparator, Copper, Thiocarbamate, 0.05-1.0 ppm	3.40	7058	Case, Dual Midget, Non-ribbed, fits 22 mL bottles, 7.75" w x 4.5" d x 3.75" h, plastic, blue	11.50
6000	Brush, Long Viewpath Test Cell	4.45	7060	Case, Drop Test, Ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	17.65
6002	Brush, Test Cell	3.85	7061	Case, Drop Test, Non-ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	16.55
6003	Brush, Test Tube	4.35	7151	Insert, foam (for K-1690)	6.85 NET
6008	Dish, Evaporating, 250 mL, porcelain	50.72	7350	Case, Attaché, 15.5" w x 5.5" d x 13.25" h, plastic, black	36.70
6009	Filter Paper, 9.0 cm, #610, 100/box	12.95	9006	Midget Comparator, pH, Cresol Red, 7.2-8.6	27.35
6010	Filter Paper, 9.0 cm, #617, 50/box	10.10	9009	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ yellow cap, plastic	2.35
6011	Filter Paper, 12.5 cm, #610, 100/box	18.20	9010	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ red cap, plastic	2.30
6012	Filter Paper, 12.5 cm, #617, 50/box	13.25	9011	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ green cap, plastic	2.30
6018	Test Paper, Dispenser, pH, 1-14	21.15	9012	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ brown cap, plastic	2.40
6019	Test Paper, Dispenser, pH, 6-8	21.05	9013	Pipet (eye dropper), Calibrated (2.5 mL) w/ bulb, glass	9.80
6021	Stopper, Test Tube (5 mL, calibrated), rubber (for #4023)	2.40	9017	Test Cell, Calibrated (5 mL) w/ cap, square, plastic	4.10
6022	Stopper, Test Tube (#2, mixing), rubber	1.42	9018	Test Cell, Calibrated (5, 10, 15 cm) w/ cap, rectangular, plastic (for Long Viewpath comparator)	11.05
6023	Test Paper, Chlorine, 10-200 ppm, 100 strips	5.55	9020	Test Tube, Calibrated (5 mL) w/ cap, glass	3.75
6024	Stopper, Buret, rubber	6.40	9021	Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass	21.05
6030	Test Paper, Dispenser, pH, 3-8	21.10	9021-6	Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass, 6-pack	114.30
6031	Test Paper, Dispenser, pH, 9-12	21.10	9025	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 30/60 ppm	19.10
6034	Test Paper, Dispenser, Chlorine, 10-200 ppm	16.70	9026	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20/40 ppm	19.10
6051	Test Paper, pH, 2.5-4.5, colorpHast®, 100 strips	35.55	9027	2-Standard Comparator, Orthophosphate, (low range), Stannous Chloride, 2 & 8 ppm	19.40
6054	Stand, Buret	37.65	9028	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20/60 ppm	19.10
6056	Clamp, Buret (single)	27.95	9034	Midget Comparator, Bromine (total), OT, 0.2-3.0 ppm	27.35
6086-10	Filter Discs, .45 µM, 10-pack (for syringe filter)	33.75 NET	9036	Midget Comparator, pH, Ferrithymol Blue, 6.0-7.4	27.35
6087-5	Adaptor, Syringe, 5" x .25", 5-pack	6.20	9037	Midget Comparator, Iron (ferric/ferrous/total), Leuco Crystal Violet, 0-2.0 ppm	27.80
6097	Thermometer, Armored, -10° to +110°C	45.60	9039	Midget Comparator, Chlorine (total), OT, 0-1.0 ppm	27.35
6101	Stirring Bar, Magnetic, 1"	10.66	9040	Midget Comparator, Chlorine (free/total), DPD, 0.2-3.0 ppm	27.35
6106	Stirring Bar, Magnetic, .5"	9.25			
6187	Light Bulb, Dalite™, 8-watt (for K-9780)	17.70 NET			
6190	SampleSizer, 10 & 25 mL, anodized aluminum (for 9198)	16.30			
6190-12	SampleSizer, 10 & 25 mL, anodized aluminum, 12-pack (for 9198)	176.00			
6215	Signs, 17" x 11" (magnetic, two identical, industrial) w/ personalization & shipping (for vehicles)	51.10 NET			
6247	Syringe Filter (no filter discs), 60 mL, plastic	5.40			
6248	Filter Discs, 5.0 µM, Millipore™, 100/box (for syringe filter)	179.35			
6249	Filter Disc Holder, 25 mm, Millipore™ (for syringe filter)	22.45			
6254	Test Paper, pH, 6.5-10.0, colorpHast®, 100 strips	33.55			
6255	Test Paper, pH, 0-14, colorpHast®, 100 strips	33.05			
6256	Test Paper, pH, 0-6, colorpHast®, 100 strips	33.10			
6257	Filter Discs, 2.5 µM, Whatman™, 100/box (for syringe filter)	53.05			
6260	Syringe Filter (no filter discs), 30 mL, plastic	5.57			

NUMERIC LISTING OF ALL REPLACEMENT PARTS (continued)

PART NO.	PART DESCRIPTION	PRICE	PART NO.	PART DESCRIPTION	PRICE
9041	Midget Comparator, Bromine (total), DPD, 0.2-3.0 ppm	\$ 27.35	9222	Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ POLY-SEAL™ cap, glass	\$ 6.10
9047	Midget Comparator, Chlorine (total), OT, 0-2.0 ppm	27.35	9227	Midget Comparator, Bromine (total), DPD, 0-10 ppm	27.35
9048	Midget Comparator, Chlorine (free/total), DPD, 1.5-10 ppm	27.35	9228	Slide Comparator, Chlorine (free/total), DPD, 0.8-2.4 ppm	45.95
9049	Midget Comparator, Copper, Cuprizone, 0.2-3.0 ppm	27.35	9231	Slide Comparator, Chlorine (total), OT, 5-250 ppm	45.95
9050	Midget Comparator, Iron (ferric/ferrous/total), Phenanthroline, 0-10 ppm	27.35	9236	Slide Comparator, Bromine (total), DPD, 2.0-10 ppm	45.95
9051	Midget Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	27.35	9237	Midget Comparator, pH, Chlorophenol Red, 5.2-6.6	27.35
9052	Midget Comparator, pH, Long Range, 3.0-10.0	27.35	9241	Midget Comparator, Chlorine (free/total), DPD, 0.1-2.0 ppm	27.30
9053	Midget Comparator, pH, Phenol Red, 6.8-8.2	27.35	9246	Slide Comparator, Iron (total), Phenanthroline, 0-10 ppm	45.95
9054	Midget Comparator, Orthophosphate (low range), Stannous Chloride, 0-10 ppm	27.35	9257	Midget Comparator, Silica, Heterotrophy Blue, 5-50 ppm	27.35
9066	Slide Comparator, pH, Bromthymol Blue, 6.0-7.6	45.95	9264	Slide Comparator, Silica, Heterotrophy Blue, 0-50 ppm	45.95
9067	Slide Comparator, pH, Phenol Red, 6.8-8.4	45.95	9265	Magnetic Stirrer Start-up Pack, SpeedStir w/ 9198 & 6101	36.70
9068	Slide Comparator, pH, Cresol Red, 7.2-8.8	45.95	9269	Bottle, Calibrated (50 mL), 2 oz (wide-mouth) w/ glass stopper, glass	46.70
9069	Slide Comparator, pH, Meta Cresol Purple, 7.6-9.2	45.95	9283	Slide Comparator, Octadecylamine (ODA), Bromphenol Blue/Chloroform Extraction, 0-6 ppm	45.95
9070	Slide Comparator, pH, Thymol Blue, 8.0-9.6	45.95	9285	Slide Comparator, Nitrate, Zinc Reduction, 0-10 ppm	45.95
9071	Slide Comparator, pH, Phthalein Red, 8.6-10.2	45.95	9289	Hose, Buret, .375" dia. x 10" w/ bead & tip (glass), rubber	8.85
9072	Slide Comparator, pH, Toly Red, 10.0-11.6	45.95	9291	Hose, Buret, .25" dia. x 6", rubber	25.41
9078	Slide Comparator, pH, Long Range, 3.0-11.0	45.95	9294	2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 10/20 ppm	19.10
9079	Slide Comparator, Bromine (total), DPD, 0-3.0 ppm	45.95	9297	Midget Comparator, Chlorine (total), OT, 5-250 ppm	27.35
9081	Slide Comparator, Chlorine (free/total), DPD, 0-1.0 ppm	45.95	9315	Test Paper, pH, 1.8-3.8, 200 strips	40.95
9082	Slide Comparator, Chlorine (free/total), DPD, 0-3.0 ppm	45.95	9317	Slide Comparator, Ozone, DPD, 0-2.0 ppm	45.95
9083	Slide Comparator, Chlorine (free/total), DPD, 1.0-10 ppm	45.95	9318	Slide Comparator, Ozone, DPD, 0-0.66 ppm	45.95
9084	Slide Comparator, Chlorine (total), OT, 0-1.0 ppm	45.95	9321	Midget Comparator, pH, Thymol Blue, 8.2-9.6	27.35
9085	Slide Comparator, Chlorine (total), OT, 0.1-4.0 ppm	45.95	9323	Midget Comparator, Glutaraldehyde, Modified MBTH, 0-50 ppm	27.35
9086	Slide Comparator, Chlorine (total), OT, 0.2-3.0 ppm	45.95	9326	Buret, Pinchcock, 25 mL, glass	94.30 NET
9087	Slide Comparator, Chlorine (total), OT, 0-50 ppm	45.95	9341	Buret, Stopcock, 25 mL, glass	78.95 NET
9088	Slide Comparator, Chlorine (total), OT, 0.2-12 ppm	45.95	9342	Buret, Stopcock, 10 mL (0.1 mL div), glass	153.95
9094	Slide Comparator, Copper, Cuprizone, 0-3.0 ppm	45.95	9343	Buret, Stopcock, 10 mL (0.1 mL div)/500 ppm (5 ppm div), glass	140.00
9106	Slide Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	45.95	9345	Case, Titration w/o glassware, 20" w x 10" d x 23" h, plastic & metal, black	618.00 NET
9110	Slide Comparator, Orthophosphate (high range), Stannous Chloride, 5-100 ppm	45.95	9350	Midget Comparator, Orthophosphate (high range), Stannous Chloride, 10-100 ppm	27.35
9111	Slide Comparator, Orthophosphate (low range), Stannous Chloride, 0-25 ppm	45.95	9352	Case, Deluxe Carrying w/ document holder only, 18.5" w x 8" d x 15.75" h, plastic, black	319.00
9177	Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ foil-lined cap, glass	15.20	9352-1B	Insert, Deluxe Case, (base, uncut), foam	21.10
9187	Sample Tube, Plain w/ white dot on bottom, plastic	1.68	9352-1T	Insert, Deluxe Case, (top, uncut), foam	20.75
9188	Sample Tube, Graduated, 50 mL w/ cap, plastic	4.20	9352-2B	Insert, Deluxe Case, (base, cut for 63 2 oz bottles), foam	24.35
9189	Base, Slide Comparator, Enslow (for test cells)	54.25	9352-2T	Insert, Deluxe Case, (top, partially cut for typical labware), foam	22.40
9190	Base, Slide Comparator (for test tubes)	53.95	9352-3B	Insert, Deluxe Case, (base, cut for 6 Midget comparators/syringe filter/48 2 oz bottles), foam	22.80
9195	Lamp, Dalite™	168.50	9352-3T	Insert, Deluxe Case, (top, partially cut for typical labware/meter), foam	30.05
9196	Lamp, Long Viewpath	251.35 NET	9352-4B	Insert, Deluxe Case, (base, cut for 5 Slide comparators/45 2 oz bottles), foam	23.35
9198	Sample Tube, Graduated, 25 mL w/ cap, plastic	4.35	9352-5B	Insert, Deluxe Case, (base, cut for 6 Midget comparators/48 2 oz bottles), foam	22.45
9198B	Sample Tube, Graduated, 25 mL w/ cap & blue dot, plastic	4.30	9354	Insert, Attaché Case, (base, cut), foam	24.85
9198BR	Sample Tube, Graduated, 25 mL w/ cap & brown dot, plastic	4.30	9360	Case, Attaché w/ insert, 15.5" w x 5.5" d x 13.5" h, plastic, black	117.95
9198G	Sample Tube, Graduated, 25 mL w/ cap & green dot, plastic	4.30	9409	Slide Comparator (Long Viewpath), Chlorine (total), OT, 0-1.0 ppm	45.95
9198LB	Sample Tube, Graduated, 25 mL w/ cap & light blue dot, plastic	4.35	9421	Slide Comparator (Long Viewpath), Manganese, Periodate Oxidation, 0-3.0 ppm	45.95
9198O	Sample Tube, Graduated, 25 mL w/ cap & orange dot, plastic	4.30	9432	Slide Comparator (Long Viewpath), pH, Bromthymol Blue/Meta Cresol Purple, 6.0-9.2	47.05
9198P	Sample Tube, Graduated, 25 mL w/ cap & purple dot, plastic	4.30	9600	Case Divider w/ pad (for 9352)	148.00
9198R	Sample Tube, Graduated, 25 mL w/ cap & red dot, plastic	4.30	9803	Syringe Filter Start-up Pack (no filter discs), 60 mL, plastic	30.20
9198W	Sample Tube, Graduated, 25 mL w/ cap & white dot, plastic	4.30			
9198Y	Sample Tube, Graduated, 25 mL w/ cap & yellow dot, plastic	4.30			
9199	Lightbox, w/ adapter, batteries & case	129.00			
9207	Ampule, Clear Distilled Water (for Midget comparator)	2.80			
9208	Ampule, Clear Distilled Water (for Slide comparator)	3.20			
9209	Ampule, Color Standard (for Midget comparator)	4.05			
9210	Ampule, Color Standard (for Slide comparator)	4.55			

SECTION 3: ALPHABETICAL LISTINGS OF PRODUCTS

SINGLE-ANALYTE TEST KITS

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Acidity						
K-1547	D	Neutralization to pH 4.5 (muriatic acid)	1 drop = 0.5 g/100 mL HCl	NA	NA	\$ 59.25
K-1548	D	Neutralization to pH 4.5 (sulfuric acid)	1 drop = 0.02-1.0 g/100 mL H ₂ SO ₄ plus conversion factors for phosphoric & sulfamic acids	NA	NA	60.35
Alkalinity (Caustic)						
K-1528	D	Phenolphthalein	1 drop = 0.2 g/100 mL NaOH/1 drop = 0.265 g/100 mL Na ₂ CO ₃	NA	NA	62.30
Alkalinity (Caustic Soda)						
K-1531	D	Phenolphthalein	1 drop = 0.1 or 1% NaOH	NA	NA	53.25
Alkalinity (Hydroxyl)						
K-1537	D	Phenolphthalein	1 drop = 10 or 50 ppm CaCO ₃	NA	NA	62.35
Alkalinity (P/M)						
K-1533PM	D	Phenolphthalein/methyl orange (using H ₂ SO ₄)	1 drop = 10 or 50 ppm CaCO ₃	NA	NA	44.55
Alkalinity (P/M & P/T)						
K-1575	D	Phenolphthalein/blended indicator/methyl orange (using HCl)	1 drop = 10 or 50 ppm CaCO ₃	NA	NA	64.20
Alkalinity (P/T)						
K-1527	D	Blended indicator	1 drop = 10 ppm CaCO ₃	NA	NA	34.80
K-1512	D	Phenolphthalein/blended indicator (laundry)	1 drop = 10 or 50 ppm CaCO ₃	NA	NA	49.85
K-1533PT	D	Phenolphthalein/blended indicator (using H ₂ SO ₄)	1 drop = 10 or 50 ppm CaCO ₃	NA	NA	44.45
Alkalinity (Total)						
K-1530	D	Blended indicator	1 drop = 10 ppm CaCO ₃	NA	NA	31.85
Bacteria (Aerobic)						
K-1861	V	Nutrient-supported growth (by Easicult®)	<10 ³ , 10 ⁴ , 10 ⁵ , 10 ⁶ bacteria cfu/mL fungi yeast to 10 ⁷ cfu/mL	NA	NA	97.45
K-1862	V	Nutrient-supported growth (by Easicult®)	10 ³ , 10 ⁴ , 10 ⁵ , 10 ⁶ , 10 ⁷ bacteria/mL	NA	NA	87.35
K-1860	V	Nutrient-supported growth (by Sani-Check™)	<10 ⁴ , 10 ⁴ , 5x10 ⁴ , 10 ⁵ , 5x10 ⁵ , 10 ⁶ , 5x10 ⁶ , 10 ⁷ , >10 ⁷ bacteria/mL	NA	NA	105.80 NET
Bacteria (Anaerobic)						
K-1865	V	Nutrient-supported growth (by Sani-Check™)	<10, 10 ¹ , 10 ² , 10 ³ , 10 ⁴ , 10 ⁵ , 10 ⁶	NA	NA	95.50
Boron						
K-1541	D	Proprietary	1 drop = 0.2 or 0.5 ppm Boron	NA	NA	175.35
Bromine (Total)						
K-1241	S	DPD	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm bromine (as Br ₂)	9079	4024	108.00
K-1773	M	DPD	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm bromine (as Br ₂)	9041	4024	53.25
K-1242	S	DPD	2.0, 2.5, 3.0, 3.5, 4.0, 5.0, 6, 8, 10 ppm bromine (as Br ₂)	9236	4025	108.00
K-1517-C	D	FAS-DPD	1 drop = 0.5 or 1.25 ppm bromine (as Br ₂)	NA	NA	60.50
K-1293	M	OT	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm bromine (as Br ₂)	9034	4024	51.60
Chelant						
K-1554	D	Complexometric	1 drop = 2 ppm EDTA	NA	NA	74.00
K-1544	D	Complexometric	1 drop = 2 or 5 ppm EDTA	NA	NA	93.40
K-1775	D	Complexometric	1 drop = 5 ppm	NA	NA	89.95

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Chloride						
K-1767	D	Argentometric	1 drop = 20, 40, 100, 200, or 800 ppm NaCl	NA	NA	\$ 56.60
K-1543	D	Argentometric (high pH waters)	1 drop = 2 ppm Cl ⁻	NA	NA	57.05
K-1549S	D	Argentometric (high pH waters)	1 drop = 10 ppm or 1 gpg Cl ⁻	NA	NA	53.00
K-1549	D	Argentometric (high pH waters)	1 drop = 10, 25, 50, 100, 500 ppm or 1 gpg Cl ⁻	NA	NA	59.05
K-1506	D	Argentometric (neutral pH waters)	1 drop = 10, 25, 50, 100, 500 ppm or 1 gpg Cl ⁻	NA	NA	52.05
K-1598	D	Mercuric nitrate	1 drop = 2 or 10 ppm Cl ⁻	NA	NA	66.70 *
Chlorine (bleach)						
K-1579	D	Iodometric	1 drop = 10 or 100 ppm, 0.05 or 0.5% chlorine (as Cl ₂)	NA	NA	86.50
Chlorine (Free & Combined)						
K-1515-C	D	FAS-DPD	1 drop = 0.2 or 0.5 ppm chlorine (as Cl ₂)	NA	NA	68.70
K-1516	D	FAS-DPD (uses KI crystals)	1 drop = 0.2 or 0.5 ppm chlorine (as Cl ₂)	NA	NA	72.24
Chlorine (Free & Total)						
K-1259-2	S	DPD	0, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.8, 1.0 ppm chlorine (as Cl ₂)	9081	4024	113.56
K-1259-1	S	DPD	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm chlorine (as Cl ₂)	9082	4024	114.00
K-9047	M	DPD	0.1, 0.2, 0.4, 0.7, 1.0, 1.2, 1.5, 2.0 ppm chlorine (as Cl ₂)	9241	4024	52.60
K-1234	M	DPD (tablet)	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm chlorine (as Cl ₂)	9040	4024	58.05
K-1768	M	DPD	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm chlorine (as Cl ₂)	9040	4024	55.50
K-1289	S	DPD	1.0, 1.5, 2.0, 2.5, 3.0, 4.0, 6, 8, 10 ppm chlorine (as Cl ₂)	9083	4025	112.65
K-1768-2	M	DPD	1.5, 2.0, 2.5, 3.0, 4.0, 6, 8, 10 ppm chlorine (as Cl ₂)	9048	4025	54.55
Chlorine (Total)						
K-9022	D	Iodometric	1 drop = 1 ppm chlorine (as Cl ₂)	NA	NA	80.70
K-1580	D	Iodometric	1 drop = 1 or 10 ppm chlorine (as Cl ₂)	NA	NA	86.40
K-3209	L	OT	0, 0.10, 0.15, 0.20, 0.30, 0.40, 0.6, 0.8, 1.0 ppm chlorine (as Cl ₂)	9409	9018	179.00
K-1231	M	OT	0, 0.1, 0.2, 0.3, 0.4, 0.6, 0.8, 1.0 ppm chlorine (as Cl ₂)	9039	4024	50.25
K-1201	S	OT	0, 0.1, 0.15, 0.2, 0.3, 0.4, 0.6, 0.8, 1.0 ppm chlorine (as Cl ₂)	9084	4024	112.00
K-1297	M	OT	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm chlorine (as Cl ₂)	9047	4025	49.50
K-1256	S	OT	0, 0.1, 0.3, 0.5, 5, 10, 15, 25, 50 ppm chlorine (as Cl ₂)	9087	4024	130.00
K-1203	S	OT	0.1, 0.2, 0.4, 0.6, 0.8, 1.0, 2.0, 3.0, 4.0 ppm chlorine (as Cl ₂)	9085	4024	112.00
K-1205	S	OT	0.2, 0.4, 0.6, 0.8, 1.0, 1.4, 1.8, 2.2, 3.0 ppm chlorine (as Cl ₂)	9086	4024	112.00
K-1141	S	OT (uses glass cell)	0.2, 0.5, 1.0, 2, 4, 6, 8, 10, 12 ppm chlorine (as Cl ₂)	9088	4023	111.95
K-1401	M	OT	5, 25, 50, 75, 100, 150, 200, 250 ppm chlorine (as Cl ₂)	9297	4025	74.35
K-1151	S	OT	5, 15, 25, 50, 75, 100, 150, 200, 250 ppm chlorine (as Cl ₂)	9231	4025	128.00
Chlorine Dioxide						
K-1502	D	FAS-DPD	1 drop = 0.2 ppm Cl ₂	NA	NA	73.70
Copper						
K-1155	S	Cuprizone	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9094	4024	116.00
K-1738	M	Cuprizone	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9049	4024	59.25
K-1730	C	Thiocarbamate	0.05, 0.15, 0.3, 0.5, 0.7, 1.0 ppm Cu	5432	9017	23.60
Dissolved Oxygen						
K-1658	D	Winkler-azide modification	1 drop = 0.2 ppm DO	NA	NA	160.60 *
K-1588	D	Winkler-azide modification (recommended for field use)	1 drop = 1.0 ppm DO	NA	NA	120.00 *
Freezing Point Determination						
K-1540	N	Specific gravity measurement	Use with ethylene and propylene glycol solutions, calcium chloride brine, and sodium chloride brine	NA	NA	190.10

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Glutaraldehyde						
K-1186	M	Modified MBTH	0, 2, 5, 10, 20, 30, 40, 50 ppm glutaraldehyde	9323	4025	\$ 162.00 *
Hardness (Calcium)						
K-1567	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	48.20
Hardness (Calcium, Magnesium, Total)						
K-1594	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	59.60
Hardness (Calcium & Total)						
K-1514	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 2 or 10 ppm CaCO ₃	NA	NA	54.85
Hardness (Total)						
K-1503	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 2 or 10 ppm CaCO ₃	NA	NA	45.95
Hardness (Total: trace)						
K-1504	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 0.5 ppm CaCO ₃	NA	NA	54.90
Hydrogen Peroxide						
K-1825	D	Iodometric (2 oz)	1 drop = 5 ppm H ₂ O ₂	NA	NA	71.35
K-1826	D	Iodometric (.75 oz)	1 drop = 5 ppm H ₂ O ₂	NA	NA	24.50
Hydrogen Peroxide (undiluted strength)						
K-1443	D	Iodometric (2 oz)	1 drop = 0.5 or 1% H ₂ O ₂	NA	NA	91.75
Iodine						
K-1593	D	Iodometric (PAO)	1 drop = 2.5 or 5 ppm iodine (as I ₂)	NA	NA	64.40 *
K-1568	D	Iodometric (thiosulfate)	1 drop = 5 ppm iodine (as I ₂)	NA	NA	71.45
K-1267	M	Leuco crystal violet	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm iodine (as I ₂)	9037	4024	81.30 *
Iron (Ferric, Ferrous, Total)						
K-1239SC	M	Phenanthroline	0, 0.5, 1.0, 2.0, 4.0, 6, 8, 10 ppm Fe	9050	4024	103.75
Iron (Total)						
K-1239RC	M	Phenanthroline	0, 0.5, 1.0, 2.0, 4.0, 6, 8, 10 ppm Fe	9050	4024	104.40
K-1154	S	Phenanthroline	0, 0.5, 1.0, 2.0, 3.0, 4.0, 6, 8, 10 ppm Fe	9246	4024	162.00
K-3220	L	Thiocyanate	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Fe	9420	9018	246.00
K-1716	M	Tripyridyl-s-triazine	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm Fe	9051	4024	63.00
K-1153	S	Tripyridyl-s-triazine	0, 0.1, 0.2, 0.3, 0.4, 0.6, 0.8, 1.0, 2.0 ppm Fe	9106	4024	122.50
Manganese						
K-3221	L	Periodate oxidation	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Mn	9421	9018	395.00
Molybdenum						
K-1805	D	Complexometric	1 drop = 2, 5, 20, or 50 ppm Mo	NA	NA	76.40 *
K-1805P	D	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	NA	86.55 *

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Neutralizing Amines						
K-1682	D	Acid-base titration (alkalinity from other sources interferes)	1 drop = 4 ppm cyclohexylamine/1 drop = 5 ppm diethylaminoethanol/ 1 drop = 6 ppm triethanolamine	NA	NA	\$ 68.35
Nitrate						
K-1128	S	Zinc reduction	0, 1.0, 2.0, 3.0, 4.0, 5.0, 6, 8, 10 ppm NO ₃ ; By dilution: 0, 10, 20, 30, 40, 50, 60, 80, 100 ppm NO ₃	9285	4025	174.00 †
Nitrite						
K-1510	D	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	NA	68.15
K-1564	D	Permanganate	1 drop = 25 ppm NaNO ₂	NA	NA	56.15
K-1565	D	Permanganate	1 drop = 50 ppm NaNO ₂	NA	NA	40.80
K-1563	D	Permanganate (using acid sulfate)	1 drop = 100 ppm NaNO ₂	NA	NA	39.95
K-1539	D	Permanganate (using H ₂ SO ₄)	1 drop = 100 ppm NaNO ₂	NA	NA	49.55
Octadecylamine (ODA)						
K-1243	S	Bromphenol blue/chloroform extraction	0, 0.4, 0.8, 1.2, 1.6, 2.0, 3.0, 4, 6 ppm ODA	9283	4023	170.00 *
Orthophosphate						
K-1110	M	Stannous chloride	0, 0.5, 1.0, 2.0, 4, 6, 8, 10 ppm PO ₄	9054	9021	108.00
K-1105	S	Stannous chloride (no case)	0, 2, 4, 6, 8, 10, 15, 20, 25 ppm PO ₄	9111	4023, 9021	149.00
K-1105C	S	Stannous chloride	0, 2, 4, 6, 8, 10, 15, 20, 25 ppm PO ₄	9111	4023, 9021	236.30
K-1100	S	Stannous chloride (no case)	5, 10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9110	4023, 9021	150.25
K-1100C	S	Stannous chloride	5, 10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9110	4023, 9021	247.00
K-1109	M	Stannous chloride	10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9350	9021	113.00
K-1837	T	Stannous chloride	2 & 8 ppm PO ₄	9027	9021	79.50
K-1832	T	Stannous chloride	20 & 40 ppm PO ₄	9026	9021	79.45
K-1833	T	Stannous chloride	20 & 60 ppm PO ₄	9028	9021	79.50
K-1831	T	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	79.35
Ozone						
K-1822	S	DPD	0, 0.07, 0.13, 0.20, 0.26, 0.33, 0.40, 0.53, 0.66 ppm O ₃	9318	4024	120.45
K-1818	S	DPD	0, 0.15, 0.3, 0.4, 0.5, 0.7, 1.0, 1.3, 2.0 ppm O ₃	9317	4024	117.00
Peracetic Acid						
K-1546	D	Iodometric	0-1000 ppm	NA	NA	104.00
pH						
K-1285-4	M	Bromthymol blue	6.0, 6.2, 6.4, 6.6, 6.8, 7.0, 7.2, 7.4	9036	4024	62.55
K-1011-H	S	Bromthymol blue	6.0, 6.2, 6.4, 6.6, 6.8, 7.0, 7.2, 7.4, 7.6	9066	4023	125.00
K-3232	L	Bromthymol blue/meta cresol purple	6.0, 6.4, 6.8, 7.2, 7.6, 8.0, 8.4, 8.8, 9.2	9432	9018	178.00
K-1285-5	M	Chlorphenol red	5.2, 5.4, 5.6, 5.8, 6.0, 6.2, 6.4, 6.6	9237	4024	62.55
K-1285-6	M	Cresol red	7.2, 7.4, 7.6, 7.8, 8.0, 8.2, 8.4, 8.6	9006	4024	62.55
K-1011-K	S	Cresol red	7.2, 7.4, 7.6, 7.8, 8.0, 8.2, 8.4, 8.6, 8.8	9068	4023	125.00
K-1285-1	M	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0	9052	4024	62.55
K-1011-U	S	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0	9078	4023	125.00
K-1592	C	Long range	3, 4, 5, 6, 7, 8, 9, 10, 11	5425	9017	21.95
K-1670	C	Long range	5.0, 6.0, 6.8, 7.4, 8.0, 9.0	5426	9017	23.10
K-1011-L	S	Meta cresol purple	7.6, 7.8, 8.0, 8.2, 8.4, 8.6, 8.8, 9.0, 9.2	9069	4023	125.00
K-1285-2	M	Phenol red	6.8, 7.0, 7.2, 7.4, 7.6, 7.8, 8.0, 8.2	9053	4024	62.55
K-1011-J	S	Phenol red	6.8, 7.0, 7.2, 7.4, 7.6, 7.8, 8.0, 8.2, 8.4	9067	4023	125.00
K-1011-M	S	Thymol blue	8.0, 8.2, 8.4, 8.6, 8.8, 9.0, 9.2, 9.4, 9.6	9070	4023	125.00

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination
 * Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

† No UPS and requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
pH (continued)						
K-1285-7	M	Thymol blue	8.2, 8.4, 8.6, 8.8, 9.0, 9.2, 9.4, 9.6	9321	4024	\$ 62.55
K-1011-0	S	Tolyl red	10.0, 10.2, 10.4, 10.6, 10.8, 11.0, 11.2, 11.4, 11.6	9072	4023	125.00
Phosphonate						
K-1584	D	Thorium nitrate/chrome azurol S	1 drop = .8 ppm PBTC Plus conversion factors for other ATMP-related phosphonates	NA	NA	118.50
K-1583	D	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri (methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	NA	89.50
Polymer						
K-1190	V	Turbidimetric	0, 2, 5, 7, 10 ppm polyacrylic acid (PAA)	NA	NA	181.00
Polyphosphate						
K-1108	S	Acid hydrolysis/stannous chloride (no case; w/o heater)	0, 2, 4, 6, 8, 10, 15, 20, 25 ppm PO ₄	9111	4023, 9021	255.60 *
Quaternary Ammonium Compound (QAC)/Polyquat						
K-9065	D	Direct neutralization	1 drop = 1.25 ppm QAC/1 drop = 0.5 ppm polyquat	NA	NA	79.60
K-1582	D	Direct neutralization	1 drop = 10 or 25 ppm QAC/1 drop = 3.5 or 9 ppm polyquat	NA	NA	100.85
Salinity						
K-1577	D	Argentometric	1 drop = 1 or 2 ppt salinity	NA	NA	62.11
Sequestrant						
K-1599	D	Thorium nitrate/xylenol orange	1 drop = 1 or 10 ppm organo-phosphorus sequestering agent	NA	NA	100.70
Silica						
K-1273	M	Heteropoly blue	5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ By dilution: 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9257	4025	105.00 *
K-1272	S	Heteropoly blue	0, 5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ By dilution: 0, 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 0, 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9264	4023	162.00 *
Sulfite						
K-1529	D	Iodometric	1 drop = 2 or 10 ppm Na ₂ SO ₃	NA	NA	44.70
Total Dissolved Solids						
K-1664	D	Acid-base titration	1 drop = 50 ppm CaCO ₃	NA	NA	73.10
Water Softener						
K-1519	D	Visual determination	Blue color indicates soft water (<1 gpg total hardness); red color indicates hard water (>1 gpg total hardness)	NA	NA	24.80
Zinc						
K-1511	D	Complexometric	1 drop = 0.5 ppm Zn	NA	NA	77.85

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

MARKET-SPECIFIC TEST KITS

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Boiler/Cooling Systems							
K-1542	D	Alkalinity, M	Methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	\$ 72.90
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1640	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 50 ppm CaCO ₃	NA	NA	112.00
	D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm or 1 gpg Cl ⁻	NA	NA	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1645	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA	172.65
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	C	pH	Long range	3, 4, 5, 6, 7, 8, 9, 10, 11	5425	9017	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1645-1	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	151.65
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1645-2	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA	87.45
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1645-3	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	87.30
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1645-4	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA	144.00
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
K-1645-5	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA	142.65
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1645-6	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA	96.00
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1646	D	Molybdenum	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	NA	139.00 *
	D	Nitrite	Permanganate	1 drop = 50 ppm NaNO ₂	NA	NA	
	M	pH	Long range	3 to 10 (1.0 increments)	9052	4024	
K-1650	D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm or 1 gpg Cl ⁻	NA	NA	165.40
	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 50 ppm CaCO ₃	NA	NA	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1680	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA	199.75
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
	D	Nitrite	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	NA	
	D	Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri (methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	NA	
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA	
	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 10 ppm CaCO ₃	NA	NA	

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination
 * Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges. Contact Customer Service Department at 800-TEST KIT for more information.

MARKET-SPECIFIC TEST KITS (continued)

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE		
Boiler/Cooling Systems (continued)									
K-1690	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 10 ppm CaCO ₃	NA	NA	\$ 436.00		
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA			
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA			
	D	Molybdenum	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	NA			
	D	Nitrite	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	NA			
	D	Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri (methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	NA			
	M	Silica	Heteropoly blue	5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ By dilution: 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9257	4025			
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA			
	K-1692	D	Alkalinity, Total	Blended indicator	1 drop = 10 ppm CaCO ₃	NA		NA	371.80
		D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm Cl ⁻	NA		NA	
D		Hardness, Calcium	EDTA titration	1 drop = 10 ppm CaCO ₃	NA	NA			
D		Nitrite	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	NA			
D		Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri (methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	NA			
V		Polymer	Turbidimetric	0, 2, 5, 7, 10 ppm polyacrylic acid (PAA)	NA	NA			
K-1693	D	Alkalinity, P/T	Blended indicator	1 drop = 10 ppm CaCO ₃	NA	NA	301.50		
	D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm Cl ⁻	NA	NA			
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA			
	D	Hardness, Total (trace)	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 0.5 ppm CaCO ₃	NA	NA			
	V	Polymer	Turbidimetric	0, 2, 5, 7, 10 ppm polyacrylic acid (PAA)	NA	NA			
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA			
K-1819	D	Alkalinity, P	Phenolphthalein	1 drop = 10 ppm CaCO ₃	NA	NA	88.95		
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	NA			
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA			
K-9105	D	Alkalinity, P/M	Phenolphthalein/methyl orange	1 drop = 50 ppm CaCO ₃	NA	NA	1,529.00		
	D	Chloride	Argentometric	1 drop = 2, 10, or 100 ppm Cl ⁻	NA	NA			
	M	Copper	Cuprizone	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9049	4024			
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 or 50 ppm CaCO ₃	NA	NA			
	D	Hardness, Total (trace)	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 0.5 ppm CaCO ₃	NA	NA			
	M	Iron, Total	Tripyridyl-s-triazine	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm Fe	9051	4024			
	D	Molybdenum	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	NA			
	D	Nitrite	Permanganate	1 drop = 50 ppm NaNO ₂	NA	NA			
	M	Orthophosphate	Stannous chloride	10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9350	9021			
	D	Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri (methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	NA			
	M	Silica	Heteropoly blue	5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ By dilution: 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9257	4025			
	D	Sulfite	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	NA			

MARKET-SPECIFIC TEST KITS (continued)

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Laundry							
K-1615	D	Alkalinity, P/T	Phenolphthalein/blended indicator (laundry)	1 drop = 10 or 50 ppm CaCO ₃	NA	NA	\$ 156.20
	D	Chlorine (bleach), Free	Iodometric	1 drop = 0.05 or 0.5% chlorine	NA	NA	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
	C	pH	Long range	3, 4, 5, 6, 7, 8, 9, 10, 11	5425	9017	
K-1616	D	Alkalinity, P/T	Phenolphthalein/blended indicator (laundry)	1 drop = 100 ppm Na ₂ O	NA	NA	207.00
	D	Chlorine (bleach), Free	Iodometric	1 drop = 0.05 or 0.5% chlorine	NA	NA	
	V	Chlorine, Total	OT	Yellow color indicates chlorine	NA	NA	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 1 gpg CaCO ₃	NA	NA	
	V	Iron	Tripyridyl-s-triazine	Purple color indicates iron	NA	NA	
	V	pH	Wide range pH test papers	3-8, 9-12, 1-14	NA	NA	
K-9017 spot tests	V	Chlorine, Total	OT	Yellow color indicates chlorine	NA	NA	58.80
	V	Iron	Tripyridyl-s-triazine	Purple color indicates iron	NA	NA	
	C	pH	Long range	3, 4, 5, 6, 7, 8, 9, 10, 11	5425	9017	

ELECTRONIC TEST KITS (Myron L meters w/ Taylor reagents & cases) Note: See page 11 for Ultrapen™ PT1 (6555).

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	PRICE
K-6510	E	pH	Electrometric: Myron L TechPro II™ Model TH1	Range: 0-14	\$ 710.00
	E	Temperature	Electrometric: Myron L TechPro II™ Model TH1	Range: 32-160°F, 0-71°C	
K-6520	E	Conductivity	Electrometric: Myron L TechPro II™ Model TP1	Range: 0-9999 µS or 10-20.00 mS	1,023.00
	E	Temperature	Electrometric: Myron L TechPro II™ Model TP1	Range: 32-160°F, 0-71°C	
	E	Total Dissolved Solids	Electrometric: Myron L TechPro II™ Model TP1	Range: 0-9999 ppm or 10-20.00 ppt	
K-6530	E	Conductivity	Electrometric: Myron L TechPro II™ Model TPH1	Range: 0-9999 µS or 10-20.00 mS	1,416.00
	E	pH	Electrometric: Myron L TechPro II™ Model TPH1	Range: 0-14	
	E	Temperature	Electrometric: Myron L TechPro II™ Model TPH1	Range: 32-160°F, 0-71°C	
	E	Total Dissolved Solids	Electrometric: Myron L TechPro II™ Model TPH1	Range: 0-9999 ppm or 10-20.00 ppt	
K-6540	E	Total Dissolved Solids	Electrometric: Myron L Model 512T5	Range: 0-5000 ppm	525.00
K-6542	E	NaCl (salt)	Electrometric: Myron L Model 512T5D	Range: 0-5000 ppm	545.45
	E	Total Dissolved Solids	Electrometric: Myron L Model 512T5D	Range: 0-5000 ppm	
K-6545	E	Conductivity	Electrometric: Myron L Model 512M5	Range: 0-5000 µS (µmhos)	507.00
K-6560	E	Conductivity	Electrometric: Myron L Model EP-10	Range: 0-10000 µS (µmhos)	675.00
K-6570 (w/ Saturation Index Calculator)	E	Conductivity	Electrometric: Myron L POOLPRO™ PS6	Range: 0-9999 µS or 10-200 mS	1,471.00
	E	Mineral/Salt	Electrometric: Myron L POOLPRO™ PS6	Range: 0-9999 ppm or 10-200 ppm in 5 auto ranges	
	E	ORP	Electrometric: Myron L POOLPRO™ PS6	Range: ±999 mV	
	E	pH	Electrometric: Myron L POOLPRO™ PS6	Range: 0-14	
	E	Temperature	Electrometric: Myron L POOLPRO™ PS6	32-160°F, 0-71°C	
	E	Total Dissolved Solids	Electrometric: Myron L POOLPRO™ PS6	Range: 0-9999 ppm or 10-200 ppt in 5 auto ranges	

MISCELLANEOUS KITS

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
K-1264	M	Copper	Cuprizone	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9049	4024	\$ 94.35
	M	Iron, Total	Tripyridyl-s-triazine	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm Fe	9051	4024	
K-1542	D	Alkalinity	M	1 drop = 10 ppm CaCO ₃	NA	NA	70.50
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	NA	
K-1860-RP	O	Aerobic Bacteria	Nutrient-supported growth	Replacement pack for K-1860: <10 ⁴ , 10 ⁴ , 5x10 ⁴ , 10 ⁵ , 5x10 ⁵ , 10 ⁶ , 5x10 ⁶ , 10 ⁷ , >10 ⁷ bacteria/mL	NA	NA	82.50 NET

BURET TITRATION REAGENT PACKS

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	PRICE
K-0430	B	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 mL = 1 mg CaCO ₃	\$ 21.25
K-0431	B	Alkalinity, P/M & P/T	Phenolphthalein/blended indicator/methyl orange	1 mL = 5 mg CaCO ₃	22.35
K-0434	B	Chloride	Argentometric	1 mL = 0.5 mg Cl ⁻	30.05
K-0433	B	Chloride	Argentometric	1 mL = 1 mg Cl ⁻	30.24
K-0435	B	Chloride	Argentometric	1 mL = 1 mg NaCl	29.75
K-0445	B	Chlorine, Free & Combined	FAS-DPD	1 mL = 0.1 mg chlorine (as Cl ₂)	76.49
K-0432	B	Hardness, Calcium, Magnesium, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 mL = 1 mg CaCO ₃	30.80
K-0440	B	Nitrite	Permanganate	1 mL = 3.45 mg NaNO ₂	32.35
K-0444	B	Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 mL = 6 ppm ATMP (Aminotri (methylene phosphonic acid)) plus conversion factors for ATMP-related phosphonates	89.10
K-0439	B	Sulfite	Iodometric	1 mL = 0.5 mg Na ₂ SO ₃	21.05
K-0436	B	Sulfite	Iodometric	1 mL = 1.0 mg Na ₂ SO ₃	21.10
K-0438	B	Sulfite	Iodometric	1 mL = 0.5 mg SO ₃ ²⁻	20.70
K-0437	B	Sulfite	Iodometric	1 mL = 1.0 mg SO ₃ ²⁻	20.70

ACCESSORIES

KIT NO.	KIT DESCRIPTION	KIT CONTENTS	PRICE
K-0401	Buret Titration Pack w/ 1 stopcock buret	One 25 mL stopcock buret, one 250 mL Erlenmeyer flask, one 50 mL graduated cylinder, one buret stand, one single buret clamp, instruction	\$ 215.20
K-0403	Buret Titration Pack w/ 2 stopcock burets	Two 25 mL stopcock burets, two 250 mL Erlenmeyer flasks, one 50 mL graduated cylinder, one buret stand, two single buret clamps, instruction	312.50
K-9348	Titration Case w/ 4 stopcock burets, 20" w x 23" h x 10" d	Four 10 mL stopcock burets, two 125 mL Erlenmeyer flasks, one 50 mL graduated cylinder, five removable storage trays, instruction (provides same testing applications as K-9348 with mandatory purchase of any four buret packs listed in BURET TITRATION REAGENT PACKS)	913.00 NET
K-9780	Wall-Mount Titration Cabinet, 30" w x 10" d x 20" h	Cabinet of 20-gauge cold-rolled steel with baked enamel finish, built-in Dalite™ lamp, work area for four buret titrations, three storage shelves, lockable	799.00
K-9780-GP	Wall-Mount Titration Cabinet Glassware Pack	One 50 mL graduated cylinder, two 250 mL Erlenmeyer flasks, one 10 mL glass pipet, one 58 mm plastic funnel, two 1.0 mL plastic pipets, two 3 mL plastic pipets, four 10 mL stopcock burets, #610 9.0 cm filter papers	645.00
6215	Magnetic Vehicle Signs	Set of two identical magnetic signs w/ personalization, 17" w x 11" h; price includes shipping	51.10 NET

ALPHANUMERIC REAGENT CROSS-REFERENCE

REAGENT DESCRIPTION	NUMBER	REAGENT DESCRIPTION	NUMBER	REAGENT DESCRIPTION	NUMBER
A.C. Complete Reagent	R-0874	Complexing Reagent	R-0950	Hydrochloric Acid N/20	R-0785
Acid Meta Cresol Purple Indicator	R-1003B	Conductivity Neutralizing Solution	R-7022	Hydrochloric Acid N/30	R-0899
Acid Starch Indicator Powder	R-0725	Conductivity Solution, 50 µS (23.4 ppm NaCl)	R-0868-50	Hydrochloric Acid N/50	R-0760
Acid Sulfate	R-0781	Conductivity Solution, 500 µS (242 ppm NaCl)	R-0868-5C	Hydrochloric Acid Concentrated	R-0616
Acyl Blue Indicator	R-1003R	Conductivity Solution, 1000 µS (492 ppm NaCl)	R-0868-1K	Hydrochloric Acid Reagent	R-0709
Acyl Red Indicator	R-1003P	Conductivity Solution, 2500 µS (1273 ppm NaCl)	R-0868-25C	Hydrogen Peroxide Solution 3%	R-0649
Alkaline Iodide Azide Reagent	R-0660S	Conductivity Solution, 3900 µS (2027 ppm NaCl)	R-0868-39C	Hydroxylamine Reagent	R-1306E
Ammonium Persulfate	R-13050	Conductivity Solution, 5000 µS (2634 ppm NaCl)	R-0868-5K	Iodide Azide Powder	R-0659
Amperometric Phosphate Buffer	R-7054	Copper Buffer	R-0642	Iodine Buffer	R-0769
Barium Chloride Solution 10%	R-0646	Copper Reagent #1	R-0860	Iodine Indicator	R-0768
Barium Chloride Solution 20%	R-0711	Copper Reagent #2	R-0861	Iodide Iodate N/10	R-0633-10
Barium Chloride Solution 30%	R-0720	Cresol Red Indicator	R-1003K	Iodide Iodate N/40	R-0633-40
Benzo Red Indicator	R-1003S	Demineralizer Bottle	R-0804	Iodide Iodate N/63	R-0617
Benzo Yellow Indicator	R-1003C	DI Water	R-0833	Iodide Iodate N/80	R-0633-80
Bleach Reagent #1	R-0664	Dilute Ammonia 1:1	R-1305Y	Iodide Iodate N/126	R-0633-126
Bleach Reagent #2	R-0665	Dilute Hydrochloric Acid	R-1305J	Iodide Iodate Reagent	R-0699
Bleach Reagent #2	R-0665S	Dimethylglyoxime Reagent	R-1305Z	Iodide Iodate Reagent	R-0808
Bleach Reagent #3	R-0666	DPD Powder	R-0870	Iodide Iodate Reagent	R-0817
Boron Reagent #1	R-0953	DPD Reagent #1	R-0001	Iodide Solution	R-0772
Boron Reagent #2	R-0954	DPD Reagent #2	R-0002	Iron Reagent #1	R-0851
Boron Reagent #3	R-0955	DPD Reagent #3	R-0003	Iron Reagent #1	R-0965
Boron Reagent #4	R-0956	DPD Tablet #1	R-0843	Iron Reagent #2	R-0852
Boron Reagent #5	R-0957	DPD Tablet #3	R-0844	Iron Reagent #2	R-0966
Boron Reagent #6	R-0958	EDTA Solution	R-0814	Lead Buffer	R-0771
Boron Titrating Reagent	R-0959	EDTA Standard Solution .005M	R-7035	Lead Reagent	R-0766
Boron Titrating Reagent	R-0960	FAS Titrating Solution	R-0815	Long Range Indicator	R-1003U
Bromcresol Green Indicator	R-1003E	FAS-DPD Titrating Reagent	R-0871	Magnesium Chloride Reagent	R-0755
Bromphenol Blue Indicator	R-1003D	FAS-DPD Titrating Reagent	R-0872	Manganous Sulfate Powder	R-0657
Bromthymol Blue Indicator	R-1003H	FAS-DPD Titrating Reagent	R-0875	Manganous Sulfate Solution	R-0658
BTB/MCP Indicator	R-1003W	Ferriin Indicator	R-0819	Mercuric Nitrate Titrating Solution	R-0845
Buffer Solution, pH 2.0	R-1099-02	Fluoride Masking Agent	R-0805	Meta Cresol Purple Indicator	R-1003L
Buffer Solution, pH 4.0	R-1099-04	Gallic Acid	R-7046	Methyl Orange Indicator	R-0637
Buffer Solution, pH 7.0	R-1099-07	Glutaraldehyde Reagent #1	R-0786	Methyl Red Indicator	R-1003F
Buffer Solution, pH 8.0	R-1099-08	Glutaraldehyde Reagent #2	R-0787	Molybdate Concentrate	R-0601C
Buffer Solution, pH 9.0	R-1099-09	Glycine Solution	R-0813	Molybdate Reagent	R-0601
Buffer Solution, pH 10.0	R-1099-10	Hardness Buffer	R-0619	Molybdenum Buffer Solution	R-0890
Buffer Solution, pH 11.0	R-1099-11	Hardness Buffer	R-0775	Molybdenum Indicator Powder	R-0900
Buffer Solution, pH 12.0	R-1099-12	Hardness Indicator Powder	R-0620	Molybdenum Indicator Solution	R-0891
Calcium Buffer	R-0653-2	Hardness Reagent	R-0683	Molybdenum Indicator Solvent	R-0901
Calcium Buffer	R-0653-E	Hardness Reagent	R-0806	Molybdenum Standard, 20 ppm	R-0887
Calcium Indicator Liquid	R-0011L	Hardness Reagent .001M	R-0920	Molybdenum Titrating Solution	R-0892
Calcium Indicator Powder	R-0011P	Hardness Reagent .0025M	R-0684	NED Powder	R-0923
CAN Solution	R-0820	Hardness Reagent .01M	R-0618	Neutralizing Amine Titrating Solution	R-0869
CAS Indicator Powder	R-0800	High Iron Reagent #1	R-0673	NTA Cosolvent Solution	R-0879
Causticity Reagent #1	R-0756	High Iron Reagent #2	R-0674	NTA Titrating Reagent	R-0893
Causticity Reagent #2	R-0757	Hydrochloric Acid .12N	R-0724	ODA Indicator	R-0784
Chloride Reagent	R-0682	Hydrochloric Acid .25N	R-0627H-4	Orthotolidine	R-0600
Chlorine Reagent #2	R-0604	Hydrochloric Acid .6N	R-0735	Oxone Reagent	R-0770
Chloroform	R-0651	Hydrochloric Acid 1N	R-0738	PAA Reagent #1	R-0925
Chlorphenol Red Indicator	R-1003G	Hydrochloric Acid 2.5N	R-0655H-2	PAA Reagent #2	R-0926
Chromate Indicator	R-0630	Hydrochloric Acid 3N	R-0737	PAA Reagent #3	R-0927
Citrate Buffer	R-0905	Hydrochloric Acid N/10	R-0627H-10	PAA Reagent #4	R-0928

ALPHANUMERIC REAGENT CROSS-REFERENCE (continued)

REAGENT DESCRIPTION	NUMBER	REAGENT DESCRIPTION	NUMBER	REAGENT DESCRIPTION	NUMBER
PAA Titrating Solution	R-0929	Silver Nitrate	R-0807	Sulfuric Acid N/10	R-0627S-10
PAO Reagent	R-0846	Silver Nitrate .54N	R-0629	Sulfuric Acid N/50	R-0627S-50
Parazo Orange Indicator	R-1003Q	Silver Nitrate N/7.1	R-0692	Sulfuric Acid Reagent	R-0691
Periodate Powder	R-0906	Silver Nitrate N/10	R-0698	TDS Resin	R-0809
Permanganate	R-0730	Silver Nitrate N/35.5	R-0629-35	TDS Solution (equivalent to 1000 ppm 442™)	R-0968-1K
Permanganate	R-0733	Silver Nitrate N/50	R-0629-50	Thiocarbamate Reagent	R-0643
Permanganate	R-0742	Silver Nitrate N/58.4	R-0629-58	Thiocyanate Reagent	R-1305K
Permanganate N/10	R-0652	Silver Nitrate N/71	R-0629-71	Thiosulfate N	R-0824
Permanganate N/5	R-1305L	Sodium Carbonate .24N	R-0810	Thiosulfate N/10	R-0697
pH Indicator Solution	R-1003J	Sodium Carbonate N/10	R-0716	Thiosulfate Reagent	R-0700
pH Soaker Solution (pH 4 Buffer with no dye)	R-0834	Sodium Carbonate N/50	R-0632-50	Thiosulfate Reagent	R-0774
Phenanthroline Reagent	R-1306G	Sodium Hydroxide N/10	R-0628-10	Thiosulfate Reagent	R-0780
Phenol Red Tablet	R-0848	Sodium Hydroxide N/44	R-0628-44	Thiosulfate Reagent	R-0782
Phenolphthalein Indicator	R-0638	Sodium Hydroxide N/50	R-0628-50	Thiosulfate Reagent	R-0783
Phenolphthalein Indicator 1%	R-0638S	Sodium Hydroxide Reagent	R-0739	Thiosulfate Reagent	R-0789
Phosphonate Titrating Solution	R-0803	Sodium Hydroxide Reagent	R-0740	Thiosulfate Reagent	R-0794
Phosphonate Titrating Solution	R-0880	Sodium Thiosulfate	R-0747	Thiosulfate Reagent	R-0885
Phthalein Red Indicator	R-1003N	Sodium Thiosulfate 2%	R-7008	Thymol Blue Indicator	R-1003M
Polymer Reagent #1	R-0830	Sodium Thiosulfate 10%	R-7061	Thymol Red Indicator	R-1003T
Polymer Reagent #2	R-0831	Standard Alkali N	R-0656	Toluidine Blue O Indicator	R-0881
Potassium Iodide Crystals	R-0765	Stannous Chloride Concentrate	R-0602	Tolyl Red Indicator	R-1003O
QAC Titrating Solution	R-0883	Stannous Chloride Powder	R-0602P	Total Alkalinity Indicator	R-0645
QAC Titrating Solution	R-0884	Starch Indicator Solution	R-0636	Total Chelant Indicator Powder	R-0911
QAC Titrating Solution	R-0951	Sulfamic Acid Powder	R-0726	Total Chelant Titrating Solution	R-0912
Reversion Acid	R-0640	Sulfamic Acid Powder	R-0837	Total Hardness Reagent	R-0854
Reversion Neutralizer	R-0641	Sulfanilamide Powder	R-0921	Trace Hardness Buffer	R-0622
Sequestering Reagent	R-0847	Sulfuric Acid	R-0896	Trace Hardness Reagent	R-0623
Sequestering Reagent	R-0866	Sulfuric Acid .12N	R-0687	Xylenol Orange Indicator Powder	R-0802P
Silica Reagent #1	R-1306T	Sulfuric Acid .24N	R-0811	Zinc Powder	R-0922
Silica Reagent #2	R-1306U	Sulfuric Acid .6N	R-0736	Zinc Reagent #1	R-0839
Silica Reagent #3	R-1305U	Sulfuric Acid 1.28N	R-0655S-1	Zinc Reagent #2	R-0840
Silica Reagent #4	R-1305Q	Sulfuric Acid 50%	R-0729	Zinc Reagent #3	R-0841
Silver Nitrate	R-0706	Sulfuric Acid Concentrated	R-0608		
Silver Nitrate	R-0741	Sulfuric Acid N	R-0686		

REPLACEMENT PARTS - listed by type

PART DESCRIPTION	PART NO.	PRICE	PART DESCRIPTION	PART NO.	PRICE
Bottles, Jars, Vials, Caps & Tips					
Bottle, .75 oz, poly, amber (for 2263, 2270, 2300)	2147	\$ 2.45	Case, Dual Midget, Non-ribbed, fits 22 mL bottles, 7.75" w x 4.5" d x 3.75" h, plastic, blue	7058	\$ 11.50
Bottle, .75 oz, poly, natural (for 2263, 2270, 2300)	2146	2.30	Case, Midget Comparator, Non-ribbed, fits 22 mL bottles, 4" w x 3.5" d x 4" h, plastic, blue	7004	9.75
Bottle, 2 oz, glass, amber (for 2344)	2239	2.00	Case, Mini Multipurpose, Non-ribbed, fits 22 mL bottles, 4.25" w x 4" d x 1.5" h, plastic, blue	7008	10.80
Bottle, 2 oz, poly, amber (for 2344)	2241	3.20	Case, Slide Comparator, Non-ribbed, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	7012	22.80
Bottle, 2 oz, poly, natural (for 2263, 2270, 2300)	2242	3.05	Case, Slide Comparator, Ribbed w/ compartments, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	7009	28.50
Bottle, 4 oz, glass, amber (for 2277)	2244	3.75	Case, Titration w/o glassware, 20" w x 10" d x 23" h, plastic & metal, black	9345	618.00 NET
Bottle, 4 oz, poly, natural (for 2278, 2313)	2246	2.63	Insert, Attaché Case, (base, cut), foam	9354	24.85
Bottle, 16 oz, poly, amber (for 2282)	2249	4.80	Insert, Deluxe Case, (base, cut for 5 Slide comparators/45 2 oz bottles), foam	9352-4B	23.35
Bottle, 16 oz, poly, natural (for 2282)	2251	3.80	Insert, Deluxe Case, (base, cut for 6 Midget comparators/48 2 oz bottles), foam	9352-5B	22.45
Bottle, 32 oz, glass, amber (for 2285, 2351)	2252	6.70	Insert, Deluxe Case, (base, cut for 6 Midget comparators/syringe filter/48 2 oz bottles), foam	9352-3B	22.80
Bottle, 32 oz, poly, amber (for 2282)	2253	4.90	Insert, Deluxe Case, (base, cut for 63 2 oz bottles), foam	9352-2B	24.35
Bottle, 32 oz, poly, natural (for 2282)	2254	4.35	Insert, Deluxe Case, (base, uncut), foam	9352-1B	21.10
Bottle, gal, poly, natural (for 2332)	2331	6.75	Insert, Deluxe Case, (top, partially cut for typical labware), foam	9352-2T	22.40
Bottle, Calibrated (50 mL), 2 oz (wide-mouth) w/ glass stopper, glass	9269	46.70	Insert, Deluxe Case, (top, partially cut for typical labware/meter), foam	9352-3T	30.05
Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ foil-lined cap, glass	9177	15.20	Insert, Deluxe Case, (top, uncut), foam	9352-1T	20.75
Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ POLY-SEAL™ cap, glass	9222	6.10	Cells & Tubes		
Cap, 18 mm w/ liner, black (for 2146, 2147, 2205, 2241, 2242)	2270	1.25	Sample Tube, Calibrated (5 mL), plastic	4035	1.70
Cap, 24 mm, black (for 2246)	2278	1.45	Sample Tube, Calibrated (25 mL), plastic	4034	2.95
Cap, 28 mm w/ liner, black (for 2249, 2251, 2253, 2254)	2282	1.15	Sample Tube, Graduated (25 mL) w/ cap & blue dot, plastic	9198B	4.30
Cap, 33 mm, black (for 2252 & 2291)	2285	1.35	Sample Tube, Graduated (25 mL) w/ cap & brown dot, plastic	9198BR	4.30
Cap, 38 mm, black (for 2292)	2286	1.52	Sample Tube, Graduated (25 mL) w/ cap & green dot, plastic	9198G	4.30
Cap, 38 mm, white, tamper-resistant (for 2331)	2332	1.30	Sample Tube, Graduated (25 mL) w/ cap & light blue dot, plastic	9198LB	4.35
Cap, 53 mm, black (for 2294 & 2295)	2288	1.47	Sample Tube, Graduated (25 mL) w/ cap & orange dot, plastic	9198O	4.30
Cap, Buret, 28 mm w/ hole, black (for 2249, 2251, 2253, 2254)	2281	1.20	Sample Tube, Graduated (25 mL) w/ cap & purple dot, plastic	9198P	4.30
Cap, Dispenser, 18 mm, white (for 2146, 2147, 2241, 2242)	2269	1.30	Sample Tube, Graduated (25 mL) w/ cap & red dot, plastic	9198R	4.30
Cap, Dispenser, 24 mm, white (for 2246)	2313	1.90	Sample Tube, Graduated (25 mL) w/ cap & white dot, plastic	9198W	4.30
Cap, Dispenser, 28 mm, white (for 2249, 2251, 2253, 2254)	2280	1.60	Sample Tube, Graduated (25 mL) w/ cap & yellow dot, plastic	9198Y	4.30
Cap, Dropper, 18 mm, natural (for 2146, 2147, 2241, 2242)	2263	1.31	Sample Tube, Graduated (25 mL) w/ cap, plastic	9198	4.35
Cap, Test Cell (5 mL), rectangular, plastic (for 4025)	3267	1.30	Sample Tube, Graduated (50 mL) w/ cap, plastic	9188	4.20
Cap, Test Cell (5 mL), square, plastic (for 9017)	3235	1.05	Sample Tube, Plain w/ white dot on bottom, plastic	9187	1.68
Cap, Test Cell (11.5 mL), rectangular, plastic (for 4024, 9018)	3243	1.30	Test Cell, Calibrated (5, 10, 15 cm) w/ cap, rectangular, plastic (for Long Viewpath comparator)	9018	11.05
Dipper Spoon w/ paddle handle, 12-pack (for 2629)	2235-12	1.75	Test Cell, Calibrated (5 mL), rectangular, plastic (for 3267)	4025	4.55
Jar, 60 cc (wide-mouth), poly, natural (for 2285)	2291	2.55	Test Cell, Calibrated (5 mL) w/ cap, square, plastic	9017	4.10
Jar, 120 cc (wide-mouth), poly, natural (for 2286)	2292	3.05	Test Cell, Calibrated (11.5 mL), rectangular, plastic (for 3243)	4024	5.05
Jar, 500 cc (wide-mouth), poly, natural (for 2288)	2294	5.35	Test Tube, Calibrated (5 mL), glass	4023	1.80
Tip, 18 mm, natural (for 2146, 2147, 2241, 2242)	2300	1.16	Test Tube, Calibrated (5 mL), glass, 6-pack	4023-6	9.20
Vial, 10 g w/ desiccant liner, plastic (for powder)	2629	5.30	Test Tube, Calibrated (5 mL) w/ cap, glass	9020	3.75
Vial, 10 g w/ desiccant liner, plastic, 12-pack (for 2235)	2629-12	56.65	Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass	9021	21.05
Vial, Graduated (30 mL), 10 dram w/ cap, glass	2306	6.85	Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass, 6-pack	9021-6	114.30
Cases & Inserts					
Case, Attaché, 15.5" w x 5.5" d x 13.25" h, plastic, black	7350	36.70			
Case, Attaché w/ insert, 15.5" w x 5.5" d x 13.5" h, plastic, black	9360	117.95			
Case, Deluxe Carrying w/ document holder only, 18.5" w x 8" d x 15.75" h, plastic, black	9352	319.00			
Case, Drop Test, Non-ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	7061	16.55			
Case, Drop Test, Ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	7060	17.65			

REPLACEMENT PARTS - listed by type (continued)

PART DESCRIPTION	PART NO.	PRICE	PART DESCRIPTION	PART NO.	PRICE
Comparators					
2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20/40 ppm	9026	\$ 19.10	Slide Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	9106	\$ 45.95
2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20/60 ppm	9028	19.10	Slide Comparator, Nitrate, Zinc Reduction, 0-10 ppm	9285	45.95
2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 30/60 ppm	9025	19.10	Slide Comparator, Octadecylamine (ODA), Bromphenol Blue/Chloroform Extraction, 0-6 ppm	9283	45.95
2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 10/20 ppm	9294	19.10	Slide Comparator, Orthophosphate (high range), Stannous Chloride, 5-100 ppm	9110	45.95
2-Standard Comparator, Orthophosphate, (low range), Stannous Chloride, 2 & 8 ppm	9027	19.40	Slide Comparator, Orthophosphate (low range), Stannous Chloride, 0-25 ppm	9111	45.95
Color Card Comparator, Copper, Thiocarbamate, 0.05-1.0 ppm	5432	3.40	Slide Comparator, Ozone, DPD, 0-0.66 ppm	9318	45.95
Color Card Comparator, pH, Long Range, 3-11 ppm	5425	3.40	Slide Comparator, Ozone, DPD, 0-2.0 ppm	9317	45.95
Color Card Comparator, pH, Long Range, 5.0-9.0 ppm	5426	3.40	Slide Comparator, pH, Bromthymol Blue, 6.0-7.6	9066	45.95
Midget Comparator, Bromine (total), DPD, 0-10 ppm	9227	27.35	Slide Comparator, pH, Cresol Red, 7.2-8.8	9068	45.95
Midget Comparator, Bromine (total), DPD, 0.2-3.0 ppm	9041	27.35	Slide Comparator, pH, Long Range, 3.0-11.0	9078	45.95
Midget Comparator, Bromine (total), OT, 0.2-3.0 ppm	9034	27.35	Slide Comparator, pH, Meta Cresol Purple, 7.6-9.2	9069	45.95
Midget Comparator, Chlorine (free/total), DPD, 0.1-2.0 ppm	9241	27.30	Slide Comparator, pH, Phenol Red, 6.8-8.4	9067	45.95
Midget Comparator, Chlorine (free/total), DPD, 0.2-3.0 ppm	9040	27.30	Slide Comparator, pH, Phthalein Red, 8.6-10.2	9071	45.95
Midget Comparator, Chlorine (free/total), DPD, 1.5-10 ppm	9048	27.35	Slide Comparator, pH, Thymol Blue, 8.0-9.6	9070	45.95
Midget Comparator, Chlorine (total), OT, 0-1.0 ppm	9039	27.35	Slide Comparator, pH, Toly Red, 10.0-11.6	9072	45.95
Midget Comparator, Chlorine (total), OT, 0-2.0 ppm	9047	27.35	Slide Comparator, Silica, Heterotrophy Blue, 0-50 ppm	9264	45.95
Midget Comparator, Chlorine (total), OT, 5-250 ppm	9297	27.35	Slide Comparator (Long Viewpath), Chlorine (total), OT, 0-1.0 ppm	9409	45.95
Midget Comparator, Copper, Cuprizone, 0.2-3.0 ppm	9049	27.35	Slide Comparator (Long Viewpath), Manganese, Periodate Oxidation, 0-3.0 ppm	9421	45.95
Midget Comparator, Glutaraldehyde, Modified MBTH, 0-50 ppm	9323	27.35	Slide Comparator (Long Viewpath), pH, Bromthymol Blue/Meta Cresol Purple 6.0-9.2	9432	47.05
Midget Comparator, Iron (ferric/ferrous/total), Leuco Crystal Violet, 0-2.0 ppm	9037	27.80	Dispensing Apparatus		
Midget Comparator, Iron (ferric/ferrous/total), Phenanthroline, 0-10 ppm	9050	27.35	Dipper Spoon, 8.5 cm, plastic	4044	0.74
Midget Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	9051	27.35	Dipper Spoon, 12 cm, plastic	4026	1.25
Midget Comparator, Orthophosphate (high range), Stannous Chloride, 10-100 ppm	9350	27.35	Pipet (eye dropper), Calibrated (0.5 mL), plastic	4075	1.05
Midget Comparator, Orthophosphate (low range), Stannous Chloride, 0-10 ppm	9054	27.35	Pipet (eye dropper), Calibrated (0.5 mL) w/ cap, plastic	4028	1.60
Midget Comparator, pH, Bromthymol Blue, 6.0-7.4	9036	27.35	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL), plastic	4029	2.05
Midget Comparator, pH, Chlorphenol Red, 5.2-6.6	9237	27.35	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ brown cap, plastic	9012	2.40
Midget Comparator, pH, Cresol Red, 7.2-8.6	9006	27.35	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ cap, plastic	4030	2.35
Midget Comparator, pH, Long Range, 3.0-10.0	9052	27.35	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ green cap, plastic	9011	2.30
Midget Comparator, pH, Phenol Red, 6.8-8.2	9053	27.35	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ red cap, plastic	9010	2.30
Midget Comparator, pH, Thymol Blue, 8.2-9.6	9321	27.35	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ yellow cap, plastic	9009	2.35
Midget Comparator, Silica, Heterotrophy Blue, 5-50 ppm	9257	27.35	Pipet (eye dropper), Calibrated (2.5 mL) w/ bulb, glass	9013	9.80
Slide Comparator, Bromine (total), DPD, 0-3.0 ppm	9079	45.95	Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div), plastic	4072	8.85
Slide Comparator, Bromine (total), DPD, 2.0-10 ppm	9236	45.95	Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div) w/ cap, plastic	4077	5.40
Slide Comparator, Chlorine (free/total), DPD, 0-1.0 ppm	9081	45.95	Pipet (eye dropper), Graduated (3 mL w/ 0.5 mL div), plastic	4078	4.05
Slide Comparator, Chlorine (free/total), DPD, 0-3.0 ppm	9082	45.95	Glassware		
Slide Comparator, Chlorine (free/total), DPD, 0.8-2.4 ppm	9228	45.95	Beaker, 150 mL, glass	4001	13.20
Slide Comparator, Chlorine (free/total), DPD, 1.0-10 ppm	9083	45.95	Buret, Pinchcock, 25 mL, glass	9326	94.30 NET
Slide Comparator, Chlorine (total), OT, 0-1.0 ppm	9084	45.95	Buret, Stopcock, 10 mL (0.1 mL div), glass	9342	153.95
Slide Comparator, Chlorine (total), OT, 0-50 ppm	9087	45.95	Buret, Stopcock, 10 mL (0.1 mL div)/500 ppm (5 ppm div), glass	9343	140.00
Slide Comparator, Chlorine (total), OT, 0.1-4.0 ppm	9085	45.95	Buret, Stopcock, 25 mL, glass	9341	78.95 NET
Slide Comparator, Chlorine (total), OT, 0.2-3.0 ppm	9086	45.95	Cylinder, Graduated (10 mL w/ 0.2 mL div), glass	4004	10.60
Slide Comparator, Chlorine (total), OT, 0.2-12 ppm	9088	45.95	Cylinder, Graduated (50 mL w/ 1.0 mL div), glass	4005	14.60
Slide Comparator, Chlorine (total), OT, 5-250 ppm	9231	45.95	Cylinder, Graduated (100 mL w/ 1 mL div), glass	4007	19.25
Slide Comparator, Copper, Cuprizone, 0-3.0 ppm	9094	45.95	Flask, Erlenmeyer, 50 mL, glass	4065	11.08
Slide Comparator, Iron (total), Phenanthroline, 0-10 ppm	9246	45.95	Flask, Erlenmeyer, 125 mL, glass	4043	10.65
			Flask, Erlenmeyer, 250 mL, glass	4008	11.65
			Pipet (eye dropper), Graduated (1 mL w/ 0.1 mL div), glass	4010	10.05
			Pipet (eye dropper), Graduated (10 mL w/ 0.1 mL div), glass	4011	22.55

REPLACEMENT PARTS - listed by type (continued)

PART DESCRIPTION	PART NO.	PRICE	PART DESCRIPTION	PART NO.	PRICE
Miscellaneous Parts			Meter, Conductivity/Salinity/TDS, Myron L Ultrapen™ PT1	6555	\$ 172.20
Adaptor, Syringe, 5" x .25", 5-pack	6087-5	\$ 6.20	Meter, Conductivity, Myron L EP-10	6560	486.45
Ampule, Clear Distilled Water (for Midget comparator)	9207	2.80	Meter, Conductivity/ORP/pH/Sodium Chloride/TDS/Temperature, Myron L POOLPRO™ PS6si	6570	1,266.00
Ampule, Clear Distilled Water (for Slide comparator)	9208	3.20	Meter, Conductivity/pH/TDS/Temperature, Myron L TechPro II™ TPH1	6530	1,138.20
Ampule, Color Standard (for Midget comparator)	9209	4.05	Meter, Conductivity/TDS/Temperature, Myron L TechPro II™ TP1	6520	800.00
Ampule, Color Standard (for Slide comparator)	9210	4.55	Meter, pH/Temperature, Myron L TechPro II™ TH1	6510	523.00
Base, Slide Comparator, Enslow (for test cells)	9189	54.25	Meter, Sodium Chloride/TDS, Myron L PoolMeter™ 512T5D	6542	298.00
Base, Slide Comparator (for test tubes)	9190	53.95	Meter, TDS, Myron L 512T5	6540	278.00
Brush, Long Viewpath Test Cell	6000	4.45	SampleSizer, 10 & 25 mL, anodized aluminum (for 9198)	6190	16.30
Brush, Test Cell	6002	3.85	SampleSizer, 10 & 25 mL, anodized aluminum, 12-pack (for 9198)	6190-12	176.00
Brush, Test Tube	6003	4.35	Signs, 17" x 11" (magnetic, two identical, industrial) w/ personalization & shipping (for vehicles)	6215	51.10 NET
Case Divider w/ pad (for 9352)	9600	148.00	Stand, Buret	6054	37.65
Clamp, Buret (single)	6056	27.95	Stirring Bar, Magnetic, .5"	6106	9.25
Cylinder, Hydrometer (200 mm) w/ pour spout, glass	4018	40.35	Stirring Bar, Magnetic, 1"	6101	10.66
Dish, Evaporating, 250 mL, porcelain	6008	50.72	Stirring Rod, 5", plastic, 6-pack	4086-6	4.80
Filter Disc Holder, 25 mm, Millipore™ (for syringe filter)	6249	22.45	Stirring Rod, 6", glass	4015	2.10
Filter Discs, .45 µM, 10-pack (for syringe filter)	6086-10	33.75 NET	Stirring Rod, 10", plastic	4085	2.45
Filter Discs, .45 µM, Millipore™, 100/box (for syringe filter)	6261	160.45	Stopper, Buret, rubber	6024	6.40
Filter Discs, 2.5 µM, Whatman™, 100/box (for syringe filter)	6257	53.05	Stopper, Test Tube (#2, mixing), rubber	6022	1.42
Filter Discs, 5.0 µM, Millipore™, 100/box (for syringe filter)	6248	179.35	Stopper, Test Tube (5 mL, calibrated), rubber (for 4023)	6021	2.40
Filter Paper, 9.0 cm, #610, 100/box	6009	12.95	Syringe Filter (no filter discs), 30 mL, plastic	6260	5.57
Filter Paper, 9.0 cm, #617, 50/box	6010	10.10	Syringe Filter (no filter discs), 60 mL, plastic	6247	5.40
Filter Paper, 12.5 cm, #610, 100/box	6011	18.20	Syringe Filter Start-up Pack (no filter discs), 60 mL, plastic	9803	30.20
Filter Paper, 12.5 cm, #617, 50/box	6012	13.25	Test Paper, Chlorine, 10-200 ppm, 100 strips	6023	5.55
Filter, Dalite™, glass (for 9195 & 9196)	3208	40.85 NET	Test Paper, Dispenser, Chlorine, 10-200 ppm	6034	16.70
Funnel, 58 mm, plastic	4027	1.95	Test Paper, Dispenser, pH, 1-14	6018	21.15
Hose, Buret, .25" dia. x 6", rubber	9291	25.41	Test Paper, Dispenser, pH, 3-8	6030	21.10
Hose, Buret, .375" dia. x 10" w/ bead & tip (glass), rubber	9289	8.85	Test Paper, Dispenser, pH, 6-8	6019	21.05
Hydrometer, Specific Gravity, 1.000-1.070	4016	65.35	Test Paper, Dispenser, pH, 9-12	6031	21.10
Hydrometer, Specific Gravity, 1.000-1.400	4017	59.95	Test Paper, pH, 0-6, colorpHast®, 100 strips	6256	33.10
Insert, foam (for K-1690)	7151	6.85 NET	Test Paper, pH, 0-14, colorpHast®, 100 strips	6255	33.05
Lamp, Dalite™	9195	168.50	Test Paper, pH, 1.8-3.8, 200 strips	9315	40.95
Lamp, Long Viewpath	9196	251.35 NET	Test Paper, pH, 2.5-4.5, colorpHast®, 100 strips	6051	35.55
Light Bulb, Dalite™, 8-watt (for K-9780)	6187	17.70 NET	Test Paper, pH, 6.5-10.0, colorpHast®, 100 strips	6254	33.55
Light Bulb, Dalite™, 25-watt (for 9195 & 9196)	3020	14.70	Test Paper, Quat, 100-400 ppm, 100 strips	6433	13.95
Lightbox, w/ adapter, batteries & case	9199	129.00	Thermometer, Armored, -10° to +110°C	6097	45.60
Magnetic Stirrer Start-up Pack, SpeedStir w/ 9198 & 6101	9265	36.70			
Meter, Conductivity, Myron L 512M5	6545	278.00			

There's always something new waiting for you at
www.taylor technologies.com

Our home on the Web is always evolving, with new or enriched content awaiting you at every visit. Far more than an online store, taylor technologies.com is designed to be your favorite destination when the subject is water analysis:

- On our site you can read or print out Material Safety Data Sheets and instructional articles; download photography, line art, and copy for your catalogs, fliers, and other promotional materials... see all the components of a test kit... watch a product demo... preview test instructions before making a purchase.
- You'll find the answers to frequently asked questions about our business practices, a helpful glossary of water chemistry terms, links to related websites, and opportunities to participate in decisions we make about our product lines.
- Have a technical question? Want sales or marketing support? Got a bee in your bonnet? We've made it easy to contact the right person.
- We've also posted news about products and upcoming events.

If you have colleagues unfamiliar with Taylor, they'll want to check out the testimonials from other customers, read about how we became known as "the most trusted name in water testing," and meet the people behind the brand. (Even old friends might find these sections interesting, particularly the virtual tour of our production facilities.)

Our website might be more than an online store, but domestic customers certainly can make purchases 24 hours a day, 7 days a week. Please call 800-TEST KIT (837-8548) if you have any difficulty using this feature. (International customers can fax a copy of their shopping cart contents to 410-771-4291, along with the order information specified on page 2 of this price list.)

So bookmark us and come back often. Our home is your home!

Welcome to Taylor Technologies

<http://www.taylor technologies.com/> Google

taylor HOME CONTACT US PRODUCT INFO SHOPPING SERVICES CORPORATE LEARN MORE SITEMAP
the most trusted name in water testing

BOILER / COOLING SYSTEMS
POOL / SPA
WATER CONDITIONING
INDUSTRIAL PROCESSING
FOOD PROCESSING / BOTTLING
INDUSTRIAL CLEANING
POTABLE WATER
WASTEWATER
ENVIRONMENTAL MONITORING
AGRI- / AQUACULTURE
EDUCATIONAL PRODUCTS
TESTING LABORATORIES
ALL MARKETS

Industrial Processing

While water quality requirements vary widely by industry, it's safe to say most process water is treated and therefore must be analyzed both before and after treatment. Taylor offers field tests for over 40 common analytes. These may be purchased singly or, frequently, prepackaged with other related tests. If you don't see a combination kit appropriate for your particular application, remember you can purchase one of our carrying cases and *build your own*.

take a survey
take a virtual tour

Lots of streaming video product demonstrations are posted for review

© 2012 Taylor Technologies, Inc. • All Rights Reserved • View Privacy Policy